



Payment Card Industry Data Security Standard

Attestation of Compliance for Self-Assessment Questionnaire D for Merchants

For use with PCI DSS Version 4.0.1

Publication Date: October 2024



Section 1: Assessment Information

Instructions for Submission

This document must be completed as a declaration of the results of the merchant’s self-assessment against the *Payment Card Industry Data Security Standard (PCI DSS) Requirements and Testing Procedures*. Complete all sections. The merchant is responsible for ensuring that each section is completed by the relevant parties, as applicable. Contact the entity(ies) to which the Attestation of Compliance (AOC) will be submitted for reporting and submission procedures.

This AOC reflects the results documented in an associated Self-Assessment Questionnaire (SAQ).

Capitalized terms used but not otherwise defined in this document have the meanings set forth in the PCI DSS Self-Assessment Questionnaire.

Part 1. Contact Information

Part 1a. Assessed Merchant

Company name:	City of Adelaide
DBA (doing business as):	City of Adelaide, City of Adelaide Golf Links, UPark
Company mailing address:	25 Pirie St, Adelaide South Australia 5000
Company main website:	https://www.cityofadelaide.com.au/
Company contact Name:	Annette Pianezzola
Company contact title:	Risk & Audit Analyst
Contact phone number:	+61882037355
Contact e-mail address:	a.pianezzola@cityofadelaide.com.au

Part 1b. Assessor

Provide the following information for all assessors involved in the assessment. If there was no assessor for a given assessor type, enter Not Applicable.

PCI SSC Internal Security Assessor(s)	
ISA name(s):	Not Applicable
Qualified Security Assessor	
Company name:	CyberCX Pty Ltd
Company mailing address:	Level 4, 330 Collins Street, Melbourne VIC 3000
Company website:	https://cybercx.com.au/
Lead Assessor Name:	Gary Watts
Assessor phone number:	+61 419 553 414
Assessor e-mail address:	Gary.Watts@cybercx.com.au
Assessor certificate number:	202-500



Part 2. Executive Summary

Part 2a. Merchant Business Payment Channels (select all that apply):

Indicate all payment channels used by the business that are included in this Assessment.

- Mail order / telephone order (MOTO)
- E-Commerce
- Card-present

Are any payment channels not included in this Assessment? If yes, indicate which channel(s) is not included in the Assessment and provide a brief explanation about why the channel was excluded.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Not Applicable
--	---

Note: If the organization has a payment channel that is not covered by this SAQ, consult with the entity(ies) to which this AOC will be submitted about validation for the other channels.

Part 2b. Description of Role with Payment Cards

For each payment channel included in this assessment as selected in Part 2a above, describe how the business stores, processes, and/or transmits account data.

Channel	How Business Stores, Processes, and/or Transmits Account Data
Mail order / telephone order (MOTO)	1) The Customer Centre processes most card payments for customers across the organisation. The Customer Centre comprises approximately two dozen permanent staff who take card not present payments over the phone. Agents receive calls via CXOne and initiate "Secure Mode" within Linkly Merchant Suite when processing a payment. During "Secure Mode" calls are routed to Linkly for payment processing using a DTMF clamping solution preventing agents from hearing tones or card holder data. Payments are processed by the acquirer Commbank BPoint and results returned to the agent in Merchant Suite.
E-Commerce	1) ePathway provides an Internet front end to the Pathway application allowing customers to self-service and pay for council services. Customers are redirected to the Advam WebBank payment pages for payment processing. The payment page has fields for the PAN, CVV, cardholder name and expiry. City of Adelaide does not receive or store any cardholder data as part of payment processing; all information is transmitted between the customer and the WebBank payment gateway. Hosting and management of ePathway is outsourced to a third-party vendor (Infor). 2) Adelaide Central Market operates a Shopify hosted online shop. The shop allows customers to purchase Adelaide Central Market branded items using the PayPal (redirect method) where customers may enter payment card information. Payment details including PAN, name, expiry and CVV are entered directly into a PayPal webpage for processing. Cardholder data is not stored, processed or transmitted by any City of Adelaide system. Hosting and management of the online shop is outsourced to a third-party vendor (JP Media). 3) UPark customers have the option of pre-paid parking for which they register via a link on the City of Adelaide website. Payments are processed



Part 2b. Description of Role with Payment Cards

	<p>via a third-party site that is hosted by NuevoParks. Although the site is branded for City of Adelaide, it is managed and operated by NuevoParks. Card data submitted via this process does not pass through any of City of Adelaide's networks.</p> <p>4)The Golf Links has an online presence through the MiClub website which is provided and managed by MiClub. Both members and the public may use the MiClub online site for bookings and equipment hire. Where a booking requires payment, it may be made through the MiClub website. The site uses the Stripe payment gateway which collects the full PAN, expiry and cardholder name for processing. Upon completion of a booking an email is sent to Golf Links personnel using the email address teeoff@northadelaidegolf.com.au. Emails do not contain cardholder data; only booking information.</p>
<p>Card-present</p>	<p>1) EFTPOS terminals are used at various payment locations and back-office business units throughout the organisation. The terminals are the preferred mechanism for card present transactions. Cardholder data is encrypted within PTS certified devices and transmitted to the acquirer. No cardholder data is stored.</p> <p>2) Orikan parking machines have been installed within the Council to cater for short-term on-street parking. The parking machines accept payments using credit cards using a contactless reader. All payment processing is outsourced to Orikan with parking machines transmit cardholder data via 4G/LTE-M to the ADVAM payment gateway. Parking machines are primarily maintained by City of Adelaide support personnel.</p> <p>3) City of Adelaide operates twelve (12) UPark branded off street parking facilities. Customers may use either of two methods to pay for parking.</p> <p>a) The 'Credit card as a ticket' process involves a customer using their payment card at an Ingenico EMV reader on entry to the car park. A hash of the PAN is sent to the PMabacus system that stores a corresponding timestamp of the time of entry. On exit, the customer again uses their card at an Ingenico EMV reader at the exit gate. The corresponding hash is again sent to the PMabacus server which computes the parking fee based on the previously stored timestamp. The payment is then submitted to Advam based on the amount received from the PMabacus server.</p> <p>b) Paper-based parking tickets which are available at the entry gate of the car park. The customers can pay using these tickets by using a payment card at an automated payment machine (APM) located within the car park and at the exit gate. The APMs incorporate Ingenico EMV readers which process payments in the same manner as the exit gates.</p>



Part 2c. Description of Payment Card Environment

Provide a **high-level** description of the environment covered by this assessment.

For example:

- Connections into and out of the cardholder data environment (CDE).
- Critical system components within the CDE, such as POI devices, databases, web servers, etc., and any other necessary payment components, as applicable.
- System components that could impact the security of account data.

The environment covered by the assessment includes:

- Sophos and Cisco firewalls providing internet connectivity and segmentation controls for connections into and out of the cardholder data environment.
- Standalone EFTPOS devices used at City of Adelaide location including the Central Markets, Customer Centre, Library, Nursery, and UPark carparks.
- CXOne and Linkly Merchant Suite used by Contact Centre agents to accept payments over the phone.
- Outsourced ecommerce sites for the Adelaide Central Market, Golf Links and Adelaide City Council's main website.
- Onstreet parking meters.
- Offstreet parking payment infrastructure.
- Service providers that may affect the security of the CDE.

Indicate whether the environment includes segmentation to reduce the scope of the assessment.

Yes No

(Refer to "Segmentation" section of PCI DSS for guidance on segmentation.)

Part 2. Executive Summary (continued)

Part 2d. In-Scope Locations/Facilities

List all types of physical locations/facilities (for example, retail locations, corporate offices, data centers, call centers, and mail rooms) in scope for the PCI DSS assessment.

Facility Type	Total number of locations (How many locations of this type are in scope)	Location(s) of facility (city, country)
Library	3	3 Rundle Place, 77-91 Rundle Mall, Adelaide SA 5000 235 Hutt Street, Adelaide SA 5000 176 Tynte Street, North Adelaide SA 5006
Adelaide Central Markets	1	Between Gouger and Grote Streets, Adelaide SA 5000
Council Customer Centre	1	25 Pirie Street, Adelaide SA 5000
North Adelaide Golf Course	1	Strangways Terrace, North Adelaide SA 5006
UPark Car Parking Facilities	12	UPark Rundle Street: 163-185 Rundel Street, Adelaide SA 5000 UPark Gawler Place: 9-17 Gawler Place, Adelaide SA 5000 UPark Topham Mall: 52-54 Waymouth Street, Adelaide SA 5000 UPark Central Market: 60 Gouger Street, Adelaide SA 5000



Part 2. Executive Summary *(continued)*

		UPark Wyatt Street: 18-34 Wyatt Street, Adelaide SA 5000 UPark Light Square: 22-140 Currie Street, Adelaide SA 5000 UPark Frome Street: 22-30 Frome Street, Adelaide SA 5000 UPark Pirie Street: 247 Pirie Street, Adelaide SA 5000 UPark Grote Street: 82 Grote Street, Adelaide SA 5000 UPark Andrew: 1-8 Andrew Street, Adelaide SA 5000 UPark Pirie Flinders: 191-207 Pirie Street, Adelaide SA 5000 UPark Flinders: 218 Flinders Street, Adelaide SA 5000
Nursery	1	War Memorial Road, Adelaide SA 5000

Part 2e. PCI SSC Validated Products and Solutions

Does the merchant use any item identified on any PCI SSC Lists of Validated Products and Solutions?

Yes No

Provide the following information regarding each item the merchant uses from PCI SSC's Lists of Validated Products and Solutions.

Name of PCI SSC-validated Product or Solution	Version of Product or Solution	PCI SSC Standard to which product or solution was validated	PCI SSC listing reference number	Expiry date of listing (YYYY-MM-DD)
Verifone	CM5P	5.X	4-30352	2027-04-30
Ingenico	Self/5000	5.X	4-30384	2027-04-30
ID Tech	Kiosk V	6.X	4-90465	2032-04-30

- For purposes of this document, "Lists of Validated Products and Solutions" means the lists of validated products, solutions, and/or components appearing on the PCI SSC website (www.pcisecuritystandards.org)—for example, 3DS Software Development Kits, Approved PTS Devices, Validated Payment Software, Payment Applications (PA-DSS), Point to Point Encryption (P2PE) solutions, Software-Based PIN Entry on COTS (SPoC) solutions, and Contactless Payments on COTS (CPoC) solutions.



Part 2. Executive Summary *(continued)*

Part 2f. Third-Party Service Providers

Does the merchant have relationships with one or more third-party service providers that:

<ul style="list-style-type: none"> Store, process, or transmit account data on the merchant’s behalf (for example, payment gateways, payment processors, payment service providers (PSPs), and off-site storage) 	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<ul style="list-style-type: none"> Manage system components included in the scope of the merchant’s PCI DSS assessment—for example, via network security control services, anti-malware services, security incident and event management (SIEM), contact and call centers, web-hosting services, and IaaS, PaaS, SaaS, and FaaS cloud providers. 	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<ul style="list-style-type: none"> Could impact the security of the merchant’s CDE (for example, vendors providing support via remote access, and/or bespoke software developers) 	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

If Yes:

Name of service provider:	Description of service(s) provided:
Attekus	Online booking platform
Infor	ePathway SaaS
Orikan	Outsourced on street parking
Commonwealth Bank	EFTPOS terminal provider and acquirer
MiClub	North Adelaide Golf Course POS solution and website hosting
NuevoPark	Prebooking for off street parking
Shopify	Central market website hosting
Stripe	North Adelaide Golf Course website payment gateway
Eventbrite	Ticketing and payments for events hosted by ACMA.
Linkly	Merchant Suite payment gateway
CXOne	Contact centre software
Advam	Off street parking payment gateway

Note: Requirement 12.8 applies to all entities in this list.



Part 2. Executive Summary (continued)

Part 2g. Summary of Assessment
(SAQ Section 2 and related appendices)

Indicate below all responses that were selected for each PCI DSS requirement.

PCI DSS Requirement	Requirement Responses				
	More than one response may be selected for a given requirement. Indicate all responses that apply.				
	In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
Requirement 1:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 2:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 3:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 4:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 5:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 6:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 7:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 8:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 9:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 10:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 11:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 12:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Appendix A1:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Appendix A2:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



Section 2: Self-Assessment Questionnaire D for Merchants

Self-assessment completion date:	31st March 2026
Were any requirements in the SAQ unable to be met due to a legal constraint?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Item 11.2 - Attachment A - Released to the Public
Confidential



Section 3: Validation and Attestation Details

Part 3. PCI DSS Validation

This AOC is based on results noted in SAQ D (Section 2), dated (Self-assessment completion date 31st March 2026).

Indicate below whether a full or partial PCI DSS assessment was completed:

- Full** – All requirements have been assessed therefore no requirements were marked as Not Tested in the SAQ.
- Partial** – One or more requirements have not been assessed and were therefore marked as Not Tested in the SAQ. Any requirement not assessed is noted as Not Tested in Part 2g above.

Based on the results documented in the SAQ D noted above, each signatory identified in any of Parts 3b–3d, as applicable, assert(s) the following compliance status for the merchant identified in Part 2 of this document.

Select one:

<input checked="" type="checkbox"/>	<p>Compliant: All sections of the PCI DSS SAQ are complete, and all assessed requirements are marked as being either 1) In Place, 2) In Place with CCW, or 3) Not Applicable, resulting in an overall COMPLIANT rating; thereby (<i>City of Adelaide</i>) has demonstrated compliance with all PCI DSS requirements included in this SAQ except those noted as Not Tested above.</p>								
<input type="checkbox"/>	<p>Non-Compliant: Not all sections of the PCI DSS SAQ are complete, or one or more requirements are marked as Not in Place, resulting in an overall NON-COMPLIANT rating, thereby (<i>City of Adelaide</i>) has not demonstrated compliance with the PCI DSS requirements included in this SAQ.</p> <p>Target Date for Compliance:</p> <p>A merchant submitting this form with a Non-Compliant status may be required to complete the Action Plan in Part 4 of this document. Confirm with the entity to which this AOC will be submitted <i>before completing Part 4.</i></p>								
<input type="checkbox"/>	<p>Compliant but with Legal exception: One or more assessed requirements in the PCI DSS SAQ are marked as Not in Place due to a legal restriction that prevents the requirement from being met and all other assessed requirements are marked as being either 1) In Place, 2) In Place with CCW, or 3) Not Applicable, resulting in an overall COMPLIANT BUT WITH LEGAL EXCEPTION rating; thereby (<i>City of Adelaide</i>) has demonstrated compliance with all PCI DSS requirements included in this SAQ except those noted as Not Tested above or as Not in Place due to a legal restriction.</p> <p>This option requires additional review from the entity to which this AOC will be submitted. <i>If selected, complete the following:</i></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 35%;">Affected Requirement</th> <th>Details of how legal constraint prevents requirement from being met</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </tbody> </table>	Affected Requirement	Details of how legal constraint prevents requirement from being met						
Affected Requirement	Details of how legal constraint prevents requirement from being met								



Part 3a. Merchant Acknowledgement

Signatory(s) confirms:

(Select all that apply)


- PCI DSS Self-Assessment Questionnaire D, Version 4.0, was completed according to the instructions therein.
- All information within the above-referenced SAQ and in this attestation fairly represents the results of the merchant's assessment in all material respects.
- PCI DSS controls will be maintained at all times, as applicable to the merchant's environment.

Part 3b. Merchant Attestation

Signature of Merchant Executive Officer ↑	Date:
Merchant Executive Officer Name: Annette Pianezzoła	Title: Ms

Part 3c. Qualified Security Assessor (QSA) Acknowledgement

If a QSA was involved or assisted with this assessment, indicate the role performed:	<input type="checkbox"/> QSA performed testing procedures. <input checked="" type="checkbox"/> QSA provided other assistance. If selected, describe all role(s) performed: The QSA validated the scope of the assessment and determined applicable PCI DSS requirements. The QSA conducted interviews and workshops with City of Adelaide personnel and reviewed available documentation and evidence. The QSA completed the SAQ based on the validated scope and information provided
--	--

DocuSigned by:  70DE91DE193A4C2...	Date: 31 March 2026 11:05:47 AM AEDT
Signature of Lead QSA ↑	
Lead QSA Name: Gary Watts	

Signed by:  2DA943C02EB74EE...	Date: 31 March 2026 3:36:29 PM AEDT
Signature of Duly Authorized Officer of QSA Company ↑	
Duly Authorized Officer Name: Leon Li	
QSA Company: CyberCX Pty Ltd	

Part 3d. PCI SSC Internal Security Assessor (ISA) Involvement

If an ISA(s) was involved or assisted with this assessment, indicate the role performed:	<input type="checkbox"/> ISA(s) performed testing procedures. <input type="checkbox"/> ISA(s) provided other assistance. If selected, describe all role(s) performed:
--	---



Part 4. Action Plan for Non-Compliant Requirements

Only complete Part 4 upon request of the entity to which this AOC will be submitted, and only if the Assessment has a Non-Compliant status noted in Section 3.

If asked to complete this section, select the appropriate response for “Compliant to PCI DSS Requirements” for each requirement below. For any “No” responses, include the date the merchant expects to be compliant with the requirement and a brief description of the actions being taken to meet the requirement.

PCI DSS Requirement	Description of Requirement	Compliant to PCI DSS Requirements (Select One)		Remediation Date and Actions (If “NO” selected for any Requirement)
		YES	NO	
1	Install and maintain network security controls	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2	Apply secure configurations to all system components	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3	Protect stored account data	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4	Protect cardholder data with strong cryptography during transmission over open, public networks	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
5	Protect all systems and networks from malicious software	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6	Develop and maintain secure systems and software	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
7	Restrict access to system components and cardholder data by business need to know	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
8	Identify users and authenticate access to system components	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
9	Restrict physical access to cardholder data	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10	Log and monitor all access to system components and cardholder data	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
11	Test security systems and networks regularly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
12	Support information security with organizational policies and programs	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Appendix A2	Additional PCI DSS Requirements for Entities using SSL/Early TLS for Card-Present POS POI Terminal Connections	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

Note: The PCI Security Standards Council is a global standards body that provides resources for payment security professionals developed collaboratively with our stakeholder community. Our materials are accepted in numerous compliance programs worldwide. Please check with your individual compliance-accepting organization to ensure that this form is acceptable in its program. For more information about PCI SSC and our stakeholder community please visit: https://www.pcisecuritystandards.org/about_us/.



Payment Card Industry Data Security Standard

Self-Assessment Questionnaire D for Merchants and Attestation of Compliance

For use with PCI DSS Version 4.0.1

Publication Date: October 2024



Document Changes

Date	PCI DSS Version	SAQ Revision	Description
October 2008	1.2		To align content with new PCI DSS v1.2 and to implement minor changes noted since original v1.1.
October 2010	2.0		To align content with new PCI DSS v2.0 requirements and testing procedures.
February 2014	3.0		To align content with PCI DSS v3.0 requirements and testing procedures and incorporate additional response options.
April 2015	3.1		Updated to align with PCI DSS v3.1. For details of PCI DSS changes, see PCI DSS – Summary of Changes from PCI DSS Version 3.0 to 3.1.
July 2015	3.1	1.1	Updated to remove references to “best practices” prior to June 30, 2015, and remove the PCI DSS v2 reporting option for Requirement 11.3.
April 2016	3.2	1.0	Updated to align with PCI DSS v3.2. For details of PCI DSS changes, see PCI DSS – Summary of Changes from PCI DSS Version 3.1 to 3.2.
January 2017	3.2	1.1	Updated version numbering to align with other SAQs.
June 2018	3.2.1	1.0	Updated to align with PCI DSS v3.2.1. For details of PCI DSS changes, see PCI DSS – Summary of Changes from PCI DSS Version 3.2 to 3.2.1.
April 2022	4.0		Updated to align with PCI DSS v4.0. For details of PCI DSS changes, see PCI DSS – Summary of Changes from PCI DSS Version 3.2.1 to 4.0. Rearranged, retitled, and expanded information in the “Completing the Self-Assessment Questionnaire” section (previously titled “Before You Begin”). Aligned content in Sections 1 and 3 of Attestation of Compliance (AOC) with PCI DSS v4.0 Report on Compliance AOC. Added appendices to support new reporting responses.
December 2022	4.0	1	Removed “In Place with Remediation” as a reporting option from Requirement Responses table, Attestation of Compliance (AOC) Part 2g, SAQ Section 2 Response column, and AOC Section 3. Also removed former Appendix C. Added “In Place with CCW” to AOC Section 3. Added guidance for responding to future-dated requirements. Added minor clarifications and addressed typographical errors.
October 2024	4.0.1		Updated to align with PCI DSS v4.0.1. For details of PCI DSS changes, see PCI DSS Summary of Changes from PCI DSS Version 4.0 to 4.0.1. Added ASV Resource Guide to section “Additional PCI SSC Resources.”



Contents

Document Changes	i
Completing the Self-Assessment Questionnaire	iii
Merchant Eligibility Criteria for Self-Assessment Questionnaire D	iii
Defining Account Data, Cardholder Data, and Sensitive Authentication Data	iii
PCI DSS Self-Assessment Completion Steps	iv
Expected Testing	iv
Requirement Responses	v
Additional PCI SSC Resources	viii
Section 1: Assessment Information	1
Section 2: Self-Assessment Questionnaire D for Merchants	8
Build and Maintain a Secure Network and Systems	8
<i>Requirement 1: Install and Maintain Network Security Controls</i>	8
<i>Requirement 2: Apply Secure Configurations to All System Components</i>	13
Protect Account Data	17
<i>Requirement 3: Protect Stored Account Data</i>	17
<i>Requirement 4: Protect Cardholder Data with Strong Cryptography During Transmission Over Open, Public Networks</i>	31
Maintain a Vulnerability Management Program	34
<i>Requirement 5: Protect All Systems and Networks from Malicious Software</i>	34
<i>Requirement 6: Develop and Maintain Secure Systems and Software</i>	38
Implement Strong Access Control Measures	49
<i>Requirement 7: Restrict Access to System Components and Cardholder Data by Business Need to Know</i>	49
<i>Requirement 8: Identify Users and Authenticate Access to System Components</i>	53
<i>Requirement 9: Restrict Physical Access to Cardholder Data</i>	65
Regularly Monitor and Test Networks	72
<i>Requirement 10: Log and Monitor All Access to System Components and Cardholder Data</i>	72
<i>Requirement 11: Test Security of Systems and Networks Regularly</i>	79
Maintain an Information Security Policy	91
<i>Requirement 12: Support Information Security with Organizational Policies and Programs</i>	91
Appendix A: Additional PCI DSS Requirements	104
<i>Appendix A1: Additional PCI DSS Requirements for Multi-Tenant Service Providers</i>	104
<i>Appendix A2: Additional PCI DSS Requirements for Entities using SSL/Early TLS for Card-Present POS POI Terminal Connections</i>	104
<i>Appendix A3: Designated Entities Supplemental Validation (DESV)</i>	105
Appendix B: Compensating Controls Worksheet	106
Appendix C: Explanation of Requirements Noted as Not Applicable	107
Appendix D: Explanation of Requirements Noted as Not Tested	114
Section 3: Validation and Attestation Details	115



Completing the Self-Assessment Questionnaire

Merchant Eligibility Criteria for Self-Assessment Questionnaire D

Self-Assessment Questionnaire (SAQ) D for Merchants applies to merchants that are eligible to complete a self-assessment questionnaire but do not meet the criteria for any other SAQ type. Examples of merchant environments to which SAQ D may apply include but are not limited to:

- E-commerce merchants that accept account data on their website.
- Merchants with electronic storage of account data.
- Merchants that don't store account data electronically but that do not meet the criteria of another SAQ type.
- Merchants with environments that might meet the criteria of another SAQ type, but that have additional PCI DSS requirements applicable to their environment.

This SAQ is not applicable to service providers.

Defining Account Data, Cardholder Data, and Sensitive Authentication Data

PCI DSS is intended for all entities that store, process, or transmit cardholder data (CHD) and/or sensitive authentication data (SAD) or could impact the security of cardholder data and/or sensitive authentication data. Cardholder data and sensitive authentication data are considered account data and are defined as follows:

Account Data	
Cardholder Data includes:	Sensitive Authentication Data includes:
<ul style="list-style-type: none"> • Primary Account Number (PAN) • Cardholder Name • Expiration Date • Service Code 	<ul style="list-style-type: none"> • Full track data (magnetic-stripe data or equivalent on a chip) • Card verification code • PINs/PIN blocks

Refer to PCI DSS Section 2, *PCI DSS Applicability Information*, for further details.



PCI DSS Self-Assessment Completion Steps

1. Confirm by review of the eligibility criteria in this SAQ and the *Self-Assessment Questionnaire Instructions and Guidelines* document on PCI SSC website that this is the correct SAQ for the merchant's environment.
2. Confirm that the merchant environment is properly scoped.
3. Assess environment for compliance with PCI DSS requirements.
4. Complete all sections of this document:
 - Section 1: Assessment Information (Parts 1 & 2 of the Attestation of Compliance (AOC) – Contact Information and Executive Summary).
 - Section 2: Self-Assessment Questionnaire D for Merchants.
 - Section 3: Validation and Attestation Details (Parts 3 & 4 of the AOC – PCI DSS Validation and Action Plan for Non-Compliant Requirements (if Part 4 is applicable)).
5. Submit the SAQ and AOC, along with any other requested documentation—such as ASV scan reports—to the requesting organization (those organizations that manage compliance programs such as payment brands and acquirers).

Expected Testing

The instructions provided in the “Expected Testing” column are based on the testing procedures in PCI DSS and provide a high-level description of the types of testing activities that a merchant is expected to perform to verify that a requirement has been met.

The intent behind each testing method is described as follows:

- **Examine:** The merchant critically evaluates data evidence. Common examples include documents (electronic or physical), screenshots, configuration files, audit logs, and data files.
- **Observe:** The merchant watches an action or views something in the environment. Examples of observation subjects include personnel performing a task or process, system components performing a function or responding to input, environmental conditions, and physical controls.
- **Interview:** The merchant converses with individual personnel. Interview objectives may include confirmation of whether an activity is performed, descriptions of how an activity is performed, and whether personnel have particular knowledge or understanding.

The testing methods are intended to allow the merchant to demonstrate how it has met a requirement. The specific items to be examined or observed and personnel to be interviewed should be appropriate for both the requirement being assessed and the merchant's particular implementation.

Full details of testing procedures for each requirement can be found in PCI DSS.



Requirement Responses

For each requirement item, there is a choice of responses to indicate the merchant’s status regarding that requirement. **Only one response should be selected for each requirement item.**

A description of the meaning for each response is provided in the table below:

Response	When to use this response:
In Place	The expected testing has been performed, and all elements of the requirement have been met as stated.
In Place with CCW (Compensating Controls Worksheet)	<p>The expected testing has been performed, and the requirement has been met with the assistance of a compensating control.</p> <p>All responses in this column require completion of a Compensating Controls Worksheet (CCW) in Appendix B of this SAQ.</p> <p>Information on the use of compensating controls and guidance on how to complete the worksheet is provided in PCI DSS Appendices B and C.</p>
Not Applicable	<p>The requirement does not apply to the merchant’s environment. (See “Guidance for Not Applicable Requirements” below for examples.)</p> <p>All responses in this column require a supporting explanation in Appendix C of this SAQ.</p>
Not Tested	<p>The requirement was not included for consideration in the assessment and was not tested in any way. (See “Understanding the Difference between Not Applicable and Not Tested” below for examples of when this option should be used.)</p> <p>All responses in this column require a supporting explanation in Appendix D of this SAQ.</p>
Not in Place	<p>Some or all elements of the requirement have not been met, or are in the process of being implemented, or require further testing before the merchant can confirm they are in place. Responses in this column may require the completion of Part 4, if requested by the entity to which this SAQ will be submitted.</p> <p>This response is also used if a requirement cannot be met due to a legal restriction. (See “Legal Exception” below for more guidance).</p>



Guidance for Not Applicable Requirements

While many merchants completing SAQ D will need to validate compliance with every PCI DSS requirement, some entities with very specific business models may find that some requirements do not apply. For example, entities that do not use wireless technology in any capacity are not expected to comply with the PCI DSS requirements that are specific to managing wireless technology. Similarly, entities that do not store any account data electronically at any time are not expected to comply with the PCI DSS requirements related to secure storage of account data (for example, Requirement 3.5.1). Another example is requirements specific to application development and secure coding (for example, Requirements 6.2.1 through 6.2.4), which only apply to an entity with bespoke software (developed for the entity by a third party per the entity's specifications) or custom software (developed by the entity for its own use).

For each response where Not Applicable is selected in this SAQ, complete Appendix C: Explanation of Requirements Noted as Not Applicable.

Understanding the Difference between Not Applicable and Not Tested

Requirements that are deemed to be not applicable to an environment must be verified as such. Using the wireless example above, for a merchant to select "Not Applicable" for Requirements 1.3.3, 2.3.1, 2.3.2, and 4.2.1.2, the merchant first needs to confirm that there are no wireless technologies used in its cardholder data environment (CDE) or that connect to their CDE. Once this has been confirmed, the merchant may select "Not Applicable" for those specific requirements.

If a requirement is completely excluded from review without any consideration as to whether it *could* apply, the "Not Tested" option should be selected. Examples of situations where this could occur may include:

- A merchant is asked by their acquirer to validate a subset of requirements—for example, using the PCI DSS Prioritized Approach to validate only certain milestones.
- A merchant is confirming a new security control that impacts only a subset of requirements—for example, implementation of a new encryption methodology that only requires assessment of PCI DSS Requirements 2, 3, and 4.

In these scenarios, the merchant's assessment only includes certain PCI DSS requirements even though other requirements might also apply to its environment.

If any requirements are completely excluded from the merchant's self-assessment, select Not Tested for that specific requirement, and complete Appendix D: Explanation of Requirements Not Tested for each "Not Tested" entry. An assessment with any Not Tested responses is a "Partial" PCI DSS assessment and will be noted as such by the merchant in the Attestation of Compliance in Section 3, Part 3 of this SAQ.



Guidance for Responding to Future Dated Requirements

In Section 2 below, each PCI DSS requirement or bullet with an extended implementation period includes the following note: “*This requirement [or bullet] is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.*”

These new requirements are not required to be included in a PCI DSS assessment until the future date has passed. Prior to that future date, any requirements with an extended implementation date that have not been implemented by the merchant may be marked as Not Applicable and documented in *Appendix C: Explanation of Requirements Noted as Not Applicable*.

Legal Exception

If your organization is subject to a legal restriction that prevents the organization from meeting a PCI DSS requirement, select Not in Place for that requirement and complete the relevant attestation in Section 3, Part 3 of this SAQ.

Note: A legal exception is a legal restriction due to a local or regional law, regulation, or regulatory requirement, where meeting a PCI DSS requirement would violate that law, regulation, or regulatory requirement.

Contractual obligations or legal advice are not legal restrictions.

Use of the Customized Approach

SAQs cannot be used to document use of the Customized Approach to meet PCI DSS requirements. For this reason, the Customized Approach Objectives are not included in SAQs. Entities wishing to validate using the Customized Approach may be able to use the PCI DSS Report on Compliance (ROC) Template to document the results of their assessment.

Use of the Customized Approach is not supported in SAQs.

The use of the customized approach may be regulated by organizations that manage compliance programs, such as payment brands and acquirers. Questions about use of a customized approach should always be referred to those organizations. This includes whether an entity that is eligible for an SAQ may instead complete a ROC to use a customized approach, and whether an entity is required to use a QSA, or may use an ISA, to complete an assessment using the customized approach. Information about the use of the Customized Approach can be found in Appendices D and E of PCI DSS.



Additional PCI SSC Resources

Additional resources that provide guidance on PCI DSS requirements and how to complete the self-assessment questionnaire have been provided below to assist with the assessment process.

Resource	Includes:
PCI DSS <i>(PCI Data Security Standard Requirements and Testing Procedures)</i>	<ul style="list-style-type: none"> ▪ Guidance on Scoping ▪ Guidance on the intent of all PCI DSS Requirements ▪ Details of testing procedures ▪ Guidance on Compensating Controls ▪ Appendix G: Glossary of Terms, Abbreviations, and Acronyms
SAQ Instructions and Guidelines	<ul style="list-style-type: none"> ▪ Information about all SAQs and their eligibility criteria ▪ How to determine which SAQ is right for your organization
Frequently Asked Questions (FAQs)	<ul style="list-style-type: none"> ▪ Guidance and information about SAQs.
Online PCI DSS Glossary	<ul style="list-style-type: none"> ▪ PCI DSS Terms, Abbreviations, and Acronyms
Information Supplements and Guidelines	<ul style="list-style-type: none"> ▪ Guidance on a variety of PCI DSS topics including: <ul style="list-style-type: none"> – <i>Understanding PCI DSS Scoping and Network Segmentation</i> – <i>Third-Party Security Assurance</i> – <i>Multi-Factor Authentication Guidance</i> – <i>Best Practices for Maintaining PCI DSS Compliance</i>
Getting Started with PCI	<ul style="list-style-type: none"> ▪ Resources for smaller merchants including: <ul style="list-style-type: none"> – <i>Guide to Safe Payments</i> – <i>Common Payment Systems</i> – <i>Questions to Ask Your Vendors</i> – <i>Glossary of Payment and Information Security Terms</i> – <i>PCI Firewall Basics</i> – <i>ASV Resource Guide</i>

These and other resources can be found on the PCI SSC website (www.pcisecuritystandards.org).

Organizations are encouraged to review PCI DSS and other supporting documents before beginning an assessment.



Section 1: Assessment Information

Instructions for Submission

This document must be completed as a declaration of the results of the merchant’s self-assessment against the *Payment Card Industry Data Security Standard (PCI DSS) Requirements and Testing Procedures*. Complete all sections. The merchant is responsible for ensuring that each section is completed by the relevant parties, as applicable. Contact the entity(ies) to which the Attestation of Compliance (AOC) will be submitted for reporting and submission procedures.

Part 1. Contact Information	
Part 1a. Assessed Merchant	
Company name:	City of Adelaide
DBA (doing business as):	City of Adelaide, City of Adelaide Golf Links, UPark
Company mailing address:	25 Pirie St, Adelaide South Australia 5000
Company main website:	https://www.cityofadelaide.com.au/
Company contact name:	Annette Pianezzola
Company contact title:	Risk & Audit Analyst
Contact phone number:	+61882037355
Contact e-mail address:	a.pianezzola@cityofadelaide.com.au
Part 1b. Assessor	
Provide the following information for all assessors involved in the assessment. If there was no assessor for a given assessor type, enter Not Applicable.	
PCI SSC Internal Security Assessor(s)	
ISA name(s):	Not Applicable
Qualified Security Assessor	
Company name:	CyberCX Pty Ltd
Company mailing address:	Level 4, 330 Collins Street, Melbourne VIC 3000
Company website:	https://cybercx.com.au/
Lead Assessor Name:	Gary Watts
Assessor phone number:	+61 419 553 414
Assessor e-mail address:	Gary.Watts@cybercx.com.au
Assessor certificate number:	202-500



Part 2. Executive Summary

Part 2a. Merchant Business Payment Channels (select all that apply):

Indicate all payment channels used by the business that are included in this assessment.

- Mail order / telephone order (MOTO)
- E-Commerce
- Card-present

Are any payment channels not included in this assessment?

Yes No

If yes, indicate which channel(s) is not included in the assessment and provide a brief explanation about why the channel was excluded.

Not Applicable

Note: If the organization has a payment channel that is not covered by this SAQ, consult with the entity(ies) to which this AOC will be submitted about validation for the other channels.

Part 2b. Description of Role with Payment Cards

For each payment channel included in this assessment as selected in Part 2a above, describe how the business stores, processes, and/or transmits account data.

Channel	How Business Stores, Processes, and/or Transmits Account Data
Mail order / telephone order (MOTO)	1) The Customer Centre processes most card payments for customers across the organisation. The Customer Centre comprises approximately two dozen permanent staff who take card not present payments over the phone. Agents receive calls via CXOne and initiate "Secure Mode" within Linkly Merchant Suite when processing a payment. During "Secure Mode" calls are routed to Linkly for payment processing using a DTMF clamping solution preventing agents from hearing tones or card holder data. Payments are processed by the acquirer Commbank BPoint and results returned to the agent in Merchant Suite.
E-Commerce	1) ePathway provides an Internet front end to the Pathway application allowing customers to self-service and pay for council services. Customers are redirected to the Advam WebBank payment pages for payment processing. The payment page has fields for the PAN, CVV, cardholder name and expiry. City of Adelaide does not receive or store any cardholder data as part of payment processing; all information is transmitted between the customer and the WebBank payment gateway. Hosting and management of ePathway is outsourced to a third-party vendor (Infor). 2) Adelaide Central Market operates a Shopify hosted online shop. The shop allows customers to purchase Adelaide Central Market branded items using the PayPal (redirect method) where customers may enter payment card information. Payment details including PAN, name, expiry and CVV are entered directly into a PayPal webpage for processing. Cardholder data is not stored, processed or transmitted by any City of Adelaide system. Hosting and management of the online shop is outsourced to a third-party vendor (JP Media). 3) UPark customers have the option of pre-paid parking for which they



Part 2b. Description of Role with Payment Cards

	<p>register via a link on the City of Adelaide website. Payments are processed via a third-party site that is hosted by NuevoParks. Although the site is branded for City of Adelaide, it is managed and operated by NuevoParks. Card data submitted via this process does not pass through any of City of Adelaide’s networks.</p> <p>4)The Golf Links has an online presence through the MiClub website which is provided and managed by MiClub. Both members and the public may use the MiClub online site for bookings and equipment hire. Where a booking requires payment, it may be made through the MiClub website. The site uses the Stripe payment gateway which collects the full PAN, expiry and cardholder name for processing. Upon completion of a booking an email is sent to Golf Links personnel using the email address teeoff@northadelaidegolf.com.au. Emails do not contain cardholder data; only booking information.</p>
<p>Card-present</p>	<p>1) EFTPOS terminals are used at various payment locations and back-office business units throughout the organisation. The terminals are the preferred mechanism for card present transactions. Cardholder data is encrypted within PTS certified devices and transmitted to the acquirer. No cardholder data is stored.</p> <p>2) Orikan parking machines have been installed within the Council to cater for short-term on-street parking. The parking machines accept payments using credit cards using a contactless reader. All payment processing is outsourced to Orikan with parking machines transmit cardholder data via 4G/LTE-M to the ADVAM payment gateway. Parking machines are primarily maintained by City of Adelaide support personnel.</p> <p>3) City of Adelaide operates twelve (12) UPark branded off street parking facilities. Customers may use either of two methods to pay for parking.</p> <p>a) The ‘Credit card as a ticket’ process involves a customer using their payment card at an Ingenico EMV reader on entry to the car park. A hash of the PAN is sent to the PMabacus system that stores a corresponding timestamp of the time of entry. On exit, the customer again uses their card at an Ingenico EMV reader at the exit gate. The corresponding hash is again sent to the PMabacus server which computes the parking fee based on the previously stored timestamp. The payment is then submitted to Advam based on the amount received from the PMabacus server.</p> <p>b) Paper-based parking tickets which are available at the entry gate of the car park. The customers can pay using these tickets by using a payment card at an automated payment machine (APM) located within the car park and at the exit gate. The APMs incorporate Ingenico EMV readers which process payments in the same manner as the exit gates.</p>



Part 2c. Description of Payment Card Environment

Provide a **high-level** description of the environment covered by this assessment.

For example:

- *Connections into and out of the cardholder data environment (CDE).*
- *Critical system components within the CDE, such as POI devices, databases, web servers, etc., and any other necessary payment components, as applicable.*
- *System components that could impact the security of account data.*

The environment covered by the assessment includes:

- Sophos and Cisco firewalls providing internet connectivity and segmentation controls for connections into and out of the cardholder data environment.
- Standalone EFTPOS devices used at City of Adelaide location including the Central Markets, Customer Centre, Library, Nursery, and UPark carparks.
- CXOne and Linkly Merchant Suite used by Contact Centre agents to accept payments over the phone.
- Outsourced ecommerce sites for the Adelaide Central Market, Golf Links and Adelaide City Council's main website.
- Onstreet parking meters.
- Offstreet parking payment infrastructure.
- Service providers that may affect the security of the CDE.

Indicate whether the environment includes segmentation to reduce the scope of the assessment. Yes No
 (Refer to "Segmentation" section of PCI DSS for guidance on segmentation.)

Part 2. Executive Summary (continued)

Part 2d. In-Scope Locations/Facilities

List all types of physical locations/facilities (for example, retail locations, corporate offices, data centers, call centers, and mail rooms) in scope for the PCI DSS assessment.

Facility Type	Total number of locations (How many locations of this type are in scope)	Location(s) of facility (city, country)
Library	3	3 Rundle Place, 77-91 Rundle Mall, Adelaide SA 5000 235 Hutt Street, Adelaide SA 5000 176 Tynte Street, North Adelaide SA 5006
Adelaide Central Markets	1	Between Gouger and Grote Streets, Adelaide SA 5000
Council Customer Centre	1	25 Pirie Street, Adelaide SA 5000
North Adelaide Golf Course	1	Strangways Terrace, North Adelaide SA 5006
UPark Car Parking Facilities	12	UPark Rundle Street: 163-185 Rundle Street, Adelaide SA 5000 UPark Gawler Place: 9-17 Gawler Place, Adelaide SA 5000 UPark Topham Mall: 52-54



Part 2. Executive Summary (continued)

		Waymouth Street, Adelaide SA 5000 UPark Central Market: 60 Gouger Street, Adelaide SA 5000 UPark Wyatt Street: 18-34 Wyatt Street, Adelaide SA 5000 UPark Light Square: 22-140 Currie Street, Adelaide SA 5000 UPark Frome Street: 22-30 Frome Street, Adelaide SA 5000 UPark Pirie Street: 247 Pirie Street, Adelaide SA 5000 UPark Grote Street: 82 Grote Street, Adelaide SA 5000 UPark Andrew: 1-8 Andrew Street, Adelaide SA 5000 UPark Pirie Flinders: 191-207 Pirie Street, Adelaide SA 5000 UPark Flinders: 218 Flinders Street, Adelaide SA 5000
Nursery	1	War Memorial Road, Adelaide SA 5000

Part 2e. PCI SSC Validated Products and Solutions

Does the merchant use any item identified on any PCI SSC Lists of Validated Products and Solutions.?

Yes No

Provide the following information regarding each item the merchant uses from PCI SSC's Lists of Validated Products and Solutions.

Name of PCI SSC validated Product or Solution	Version of Product or Solution	PCI SSC Standard to which product or solution was validated	PCI SSC listing reference number	Expiry date of listing (YYYY-MM-DD)
Verifone	CM5P	5.X	4-30352	2027-04-30
Ingenico	Self/5000	5.X	4-30384	2027-04-30
ID Tech	Kiosk V	6.X	4-90465	2032-04-30

- For purposes of this document, "Lists of Validated Products and Solutions" means the lists of validated products, solutions, and/or components, appearing on the PCI SSC website (www.pcisecuritystandards.org)—for example, 3DS Software Development Kits, Approved PTS Devices, Validated Payment Software, Point to Point Encryption (P2PE) solutions, Software-Based PIN Entry on COTS (SPoC) solutions, Contactless Payments on COTS (CPoC) solutions, and Mobile Payments on COTS (MPoC) products.



Part 2. Executive Summary *(continued)*

Part 2f. Third-Party Service Providers

Does the merchant have relationships with one or more third-party service providers that:

<ul style="list-style-type: none"> Store, process, or transmit account data on the merchant's behalf (for example, payment gateways, payment processors, payment service providers (PSPs), and off-site storage) 	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<ul style="list-style-type: none"> Manage system components included in the scope of the merchant's PCI DSS assessment—for example, via network security control services, anti-malware services, security incident and event management (SIEM), contact and call centers, web-hosting services, and IaaS, PaaS, SaaS, and FaaS cloud providers. 	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<ul style="list-style-type: none"> Could impact the security of the merchant's CDE (for example, vendors providing support via remote access, and/or bespoke software developers) 	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

If Yes:

Name of service provider:	Description of service(s) provided:
Attekus	Online booking platform
Infor	ePathway SaaS
Orikan	Outsourced on street parking
Commonwealth Bank	EFTPOS terminal provider and acquirer
MiClub	North Adelaide Golf Course POS solution and website hosting
NuevoPark	Prebooking for off street parking
Shopify	Central market website hosting
Stripe	North Adelaide Golf Course website payment gateway
Eventbrite	Ticketing and payments for events hosted by ACMA.
Linkly	Merchant Suite payment gateway
CXOne	Contact centre software
Advam	Off street parking payment gateway

Note: Requirement 12.8 applies to all entities in this list.



Part 2. Executive Summary *(continued)*

Part 2g. Summary of Assessment
(SAQ Section 2 and related appendices)

Indicate below all responses that were selected for each PCI DSS requirement.

PCI DSS Requirement	Requirement Responses				
	More than one response may be selected for a given requirement. Indicate all responses that apply.				
	In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
Requirement 1:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 2:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 3:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 4:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 5:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 6:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 7:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 8:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 9:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 10:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 11:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requirement 12:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Appendix A1:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Appendix A2:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



Section 2: Self-Assessment Questionnaire D for Merchants

Note: The following requirements mirror the requirements in the PCI DSS Requirements and Testing Procedures document.

Self-assessment completion date: 31st March 2026

Build and Maintain a Secure Network and Systems

Requirement 1: Install and Maintain Network Security Controls

PCI DSS Requirement	Expected Testing	Response [♦] (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
1.1 Processes and mechanisms for installing and maintaining network security controls are defined and understood.							
1.1.1	All security policies and operational procedures that are identified in Requirement 1 are: <ul style="list-style-type: none"> • Documented. • Kept up to date. • In use. • Known to all affected parties. 	<ul style="list-style-type: none"> • Examine documentation. • Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1.1.2	Roles and responsibilities for performing activities in Requirement 1 are documented, assigned, and understood.	<ul style="list-style-type: none"> • Examine documentation. • Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1.2 Network security controls (NSCs) are configured and maintained.							
1.2.1	Configuration standards for NSC rulesets are: <ul style="list-style-type: none"> • Defined. • Implemented. • Maintained. 	<ul style="list-style-type: none"> • Examine configurations standards. • Examine configuration settings. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

[♦] Refer to the "Requirement Responses" section (page v) for information about these response options.



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>1.2.2 All changes to network connections and to configurations of NSCs are approved and managed in accordance with the change control process defined at Requirement 6.5.1.</p> <p>Applicability Notes</p> <p>Changes to network connections include the addition, removal, or modification of a connection. Changes to NSC configurations include those related to the component itself as well as those affecting how it performs its security function.</p>	<ul style="list-style-type: none"> Examine documented procedures. Examine network configurations. Examine change control records. Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>1.2.3 An accurate network diagram(s) is maintained that shows all connections between the CDE and other networks, including any wireless networks.</p> <p>Applicability Notes</p> <p>A current network diagram(s) or other technical or topological solution that identifies network connections and devices can be used to meet this requirement.</p>	<ul style="list-style-type: none"> Examine network diagrams. Examine network configurations. Interview responsible personnel. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>1.2.4 An accurate data-flow diagram(s) is maintained that meets the following:</p> <ul style="list-style-type: none"> Shows all account data flows across systems and networks. Updated as needed upon changes to the environment. <p>Applicability Notes</p> <p>A data-flow diagram(s) or other technical or topological solution that identifies flows of account data across systems and networks can be used to meet this requirement.</p>	<ul style="list-style-type: none"> Examine data flow diagrams. Observe network configurations. Examine documentation. Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>1.2.5 All services, protocols and ports allowed are identified, approved, and have a defined business need.</p>	<ul style="list-style-type: none"> Examine documentation. Examine configuration settings. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>1.2.6 Security features are defined and implemented for all services, protocols, and ports that are in use and considered to be insecure, such that the risk is mitigated.</p>	<ul style="list-style-type: none"> Examine documentation. Examine configuration settings. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
1.2.7	Configurations of NSCs are reviewed at least once every six months to confirm they are relevant and effective.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1.2.8	Configuration files for NSCs are: <ul style="list-style-type: none"> Secured from unauthorized access. Kept consistent with active network configurations. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes						
Any file or setting used to configure or synchronize NSCs is considered to be a “configuration file.” This includes files, automated and system-based controls, scripts, settings, infrastructure as code, or other parameters that are backed up, archived, or stored remotely.						
1.3 Network access to and from the cardholder data environment is restricted.						
1.3.1	Inbound traffic to the CDE is restricted as follows: <ul style="list-style-type: none"> To only traffic that is necessary, All other traffic is specifically denied. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1.3.2	Outbound traffic from the CDE is restricted as follows: <ul style="list-style-type: none"> To only traffic that is necessary. All other traffic is specifically denied. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1.3.3	NSCs are installed between all wireless networks and the CDE, regardless of whether the wireless network is a CDE, such that: <ul style="list-style-type: none"> All wireless traffic from wireless networks into the CDE is denied by default. Only wireless traffic with an authorized business purpose is allowed into the CDE. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1.4 Network connections between trusted and untrusted networks are controlled.						
1.4.1	NSCs are implemented between trusted and untrusted networks.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>1.4.2 Inbound traffic from untrusted networks to trusted networks is restricted to:</p> <ul style="list-style-type: none"> • Communications with system components that are authorized to provide publicly accessible services, protocols, and ports. • Stateful responses to communications initiated by system components in a trusted network. • All other traffic is denied. 	<ul style="list-style-type: none"> • Examine NSC documentation. • Examine NSC configurations. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>The intent of this requirement is to address communication sessions between trusted and untrusted networks, rather than the specifics of protocols.</p> <p>This requirement does not limit the use of UDP or other connectionless network protocols if state is maintained by the NSC.</p>						
<p>1.4.3 Anti-spoofing measures are implemented to detect and block forged source IP addresses from entering the trusted network.</p>	<ul style="list-style-type: none"> • Examine NSC documentation. • Examine NSC configurations. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>1.4.4 System components that store cardholder data are not directly accessible from untrusted networks.</p>	<ul style="list-style-type: none"> • Examine the data-flow diagram and network diagram. • Examine NSC configurations. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>This requirement is not intended to apply to storage of account data in volatile memory but does apply where memory is being treated as persistent storage (for example, RAM disk). Account data can only be stored in volatile memory during the time necessary to support the associated business process (for example, until completion of the related payment card transaction).</p>						
<p>1.4.5 The disclosure of internal IP addresses and routing information is limited to only authorized parties.</p>	<ul style="list-style-type: none"> • Examine NSC configurations. • Examine documentation. • Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
1.5 Risks to the CDE from computing devices that are able to connect to both untrusted networks and the CDE are mitigated.						
1.5.1 Security controls are implemented on any computing devices, including company- and employee-owned devices, that connect to both untrusted networks (including the Internet) and the CDE as follows. <ul style="list-style-type: none"> • Specific configuration settings are defined to prevent threats being introduced into the entity's network. • Security controls are actively running. • Security controls are not alterable by users of the computing devices unless specifically documented and authorized by management on a case-by-case basis for a limited period. 	<ul style="list-style-type: none"> • Examine policies and configuration standards. • Examine device configuration settings. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes These security controls may be temporarily disabled only if there is legitimate technical need, as authorized by management on a case-by-case basis. If these security controls need to be disabled for a specific purpose, it must be formally authorized. Additional security measures may also need to be implemented for the period during which these security controls are not active. This requirement applies to employee-owned and company-owned computing devices. Systems that cannot be managed by corporate policy introduce weaknesses and provide opportunities that malicious individuals may exploit.						



Requirement 2: Apply Secure Configurations to All System Components

PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
2.1 Processes and mechanisms for applying secure configurations to all system components are defined and understood.							
2.1.1	All security policies and operational procedures that are identified in Requirement 2 are: <ul style="list-style-type: none"> • Documented. • Kept up to date. • In use. • Known to all affected parties. 	<ul style="list-style-type: none"> • Examine documentation. • Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2.1.2	Roles and responsibilities for performing activities in Requirement 2 are documented, assigned, and understood.	<ul style="list-style-type: none"> • Examine documentation. • Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2.2 System components are configured and managed securely.							
2.2.1	Configuration standards are developed, implemented, and maintained to: <ul style="list-style-type: none"> • Cover all system components. • Address all known security vulnerabilities. • Be consistent with industry-accepted system hardening standards or vendor hardening recommendations. • Be updated as new vulnerability issues are identified, as defined in Requirement 6.3.1. • Be applied when new systems are configured and verified as in place before or immediately after a system component is connected to a production environment. 	<ul style="list-style-type: none"> • Examine system configuration standards. • Review industry-accepted hardening standards. • Examine configuration settings. • Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Page 88

NOT FOR PUBLICATION

♦ Refer to the "Requirement Responses" section (page v) for information about these response options.



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>2.2.2 Vendor default accounts are managed as follows:</p> <ul style="list-style-type: none"> If the vendor default account(s) will be used, the default password is changed per Requirement 8.3.6. If the vendor default account(s) will not be used, the account is removed or disabled. 	<ul style="list-style-type: none"> Examine system configuration standards. Examine vendor documentation. Observe a system administrator logging on using vendor default accounts. Examine configuration files. Interview personnel. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>This applies to ALL vendor default accounts and passwords, including, but not limited to, those used by operating systems, software that provides security services, application and system accounts, point-of-sale (POS) terminals, payment applications, and Simple Network Management Protocol (SNMP) defaults.</p> <p>This requirement also applies where a system component is not installed within an entity's environment, for example, software and applications that are part of the CDE and are accessed via a cloud subscription service.</p>						
<p>2.2.3 Primary functions requiring different security levels are managed as follows:</p> <ul style="list-style-type: none"> Only one primary function exists on a system component, OR Primary functions with differing security levels that exist on the same system component are isolated from each other, OR Primary functions with differing security levels on the same system component are all secured to the level required by the function with the highest security need. 	<ul style="list-style-type: none"> Examine system configuration standards. Examine system configurations. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>2.2.4 Only necessary services, protocols, daemons, and functions are enabled, and all unnecessary functionality is removed or disabled.</p>	<ul style="list-style-type: none"> Examine system configuration standards. Examine system configurations. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
2.2.5 If any insecure services, protocols, or daemons are present: <ul style="list-style-type: none"> • Business justification is documented. • Additional security features are documented and implemented that reduce the risk of using insecure services, protocols, or daemons. 	<ul style="list-style-type: none"> • Examine configuration standards. • Interview personnel. • Examine configuration settings. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2.2.6 System security parameters are configured to prevent misuse.	<ul style="list-style-type: none"> • Examine system configuration standards. • Interview personnel. • Examine system configurations. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2.2.7 All non-console administrative access is encrypted using strong cryptography.	<ul style="list-style-type: none"> • Examine system configuration standards. • Observe an administrator log on. • Examine system configurations. • Examine vendor documentation. • Interview personnel. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes This includes administrative access via browser-based interfaces and application programming interfaces (APIs).						

Item 11.2 - Attachment A - Released to Public



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
2.3 Wireless environments are configured and managed securely.						
2.3.1 For wireless environments connected to the CDE or transmitting account data, all wireless vendor defaults are changed at installation or are confirmed to be secure, including but not limited to: <ul style="list-style-type: none"> • Default wireless encryption keys. • Passwords on wireless access points. • SNMP defaults. • Any other security-related wireless vendor defaults. 	<ul style="list-style-type: none"> • Examine policies and procedures. • Review vendor documentation. • Examine wireless configuration settings. • Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes This includes, but is not limited to, default wireless encryption keys, passwords on wireless access points, SNMP defaults, and any other security-related wireless vendor defaults.						
2.3.2 For wireless environments connected to the CDE or transmitting account data, wireless encryption keys are changed as follows: <ul style="list-style-type: none"> • Whenever personnel with knowledge of the key leave the company or the role for which the knowledge was necessary. • Whenever a key is suspected of or known to be compromised. 	<ul style="list-style-type: none"> • Examine key-management documentation. • Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



Protect Account Data

Requirement 3: Protect Stored Account Data

PCI DSS Requirement	Expected Testing	Response [♦] (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
3.1 Processes and mechanisms for protecting stored account data are defined and understood.							
3.1.1	All security policies and operational procedures that are identified in Requirement 3 are: <ul style="list-style-type: none"> • Documented. • Kept up to date. • In use. • Known to all affected parties. 	<ul style="list-style-type: none"> • Examine documentation. • Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3.1.2	Roles and responsibilities for performing activities in Requirement 3 are documented, assigned, and understood.	<ul style="list-style-type: none"> • Examine documentation. • Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Page 92

NOT FOR PUBLICATION

♦ Refer to the "Requirement Responses" section (page v) for information about these response options.



PCI DSS Requirement	Expected Testing	Response ¹ (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
3.2 Storage of account data is kept to a minimum.							
3.2.1	<p>Account data storage is kept to a minimum through implementation of data retention and disposal policies, procedures, and processes that include at least the following:</p> <ul style="list-style-type: none"> Coverage for all locations of stored account data. Coverage for any sensitive authentication data (SAD) stored prior to completion of authorization. <i>This bullet is a best practice until its effective date; refer to Applicability Notes below for details.</i> Limiting data storage amount and retention time to that which is required for legal or regulatory, and/or business requirements. Specific retention requirements for stored account data that defines length of retention period and includes a documented business justification. Processes for secure deletion or rendering account data unrecoverable when no longer needed per the retention policy. A process for verifying, at least once every three months, that stored account data exceeding the defined retention period has been securely deleted or rendered unrecoverable. 	<ul style="list-style-type: none"> Examine the data retention and disposal policies, procedures, and processes. Interview personnel. Examine files and system records on system components where account data is stored. Observe the mechanisms used to render account data unrecoverable. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes							
<p>Where account data is stored by a TPSP (for example, in a cloud environment), entities are responsible for working with their service providers to understand how the TPSP meets this requirement for the entity. Considerations include ensuring that all geographic instances of a data element are securely deleted.</p> <p><i>The bullet above (for coverage of SAD stored prior to completion of authorization) is a best practice until 31 March 2025, after which it will be required as part of Requirement 3.2.1 and must be fully considered during a PCI DSS assessment.</i></p>							



PCI DSS Requirement	Expected Testing	Response [™] (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
3.3 Sensitive authentication data (SAD) is not stored after authorization.						
3.3.1 SAD is not stored after authorization, even if encrypted. All sensitive authentication data received is rendered unrecoverable upon completion of the authorization process.	<ul style="list-style-type: none"> Examine documented policies and procedures. Examine system configurations. Observe the secure data deletion processes. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes <i>Part of this Applicability Note was intentionally removed for this SAQ as it does not apply to merchant assessments.</i> Sensitive authentication data includes the data cited in Requirements 3.3.1.1 through 3.3.1.3.						
3.3.1.1 The full contents of any track are not stored upon completion of the authorization process.	<ul style="list-style-type: none"> Examine data sources. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes In the normal course of business, the following data elements from the track may need to be retained: <ul style="list-style-type: none"> Cardholder name. Primary account number (PAN). Expiration date. Service code. To minimize risk, store securely only these data elements as needed for business.						
3.3.1.2 The card verification code is not stored upon completion of the authorization process.	<ul style="list-style-type: none"> Examine data sources. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes The card verification code is the three- or four-digit number printed on the front or back of a payment card used to verify card-not-present transactions.						
3.3.1.3 The personal identification number (PIN) and the PIN block are not stored upon completion of the authorization process.	<ul style="list-style-type: none"> Examine data sources. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes						



PCI DSS Requirement	Expected Testing	Response ¹ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
	PIN blocks are encrypted during the natural course of transaction processes, but even if an entity encrypts the PIN block again, it is still not allowed to be stored after the completion of the authorization process.					
3.3.2	<p>SAD that is stored electronically prior to completion of authorization is encrypted using strong cryptography.</p> <ul style="list-style-type: none"> Examine data stores and system configurations. Examine vendor documentation. <p>Applicability Notes</p> <p>Whether SAD is permitted to be stored prior to authorization is determined by the organizations that manage compliance programs (for example, payment brands and acquirers). Contact these organizations for any additional criteria.</p> <p>This requirement applies to all storage of SAD, even if no PAN is present in the environment.</p> <p>Refer to Requirement 3.2.1 for an additional requirement that applies if SAD is stored prior to completion of authorization.</p> <p><i>Part of this Applicability Note was intentionally removed for this SAQ as it does not apply to merchant assessments.</i></p> <p>This requirement does not replace how PIN blocks are required to be managed, nor does it mean that a properly encrypted PIN block needs to be encrypted again.</p> <p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3.3.3	<i>Additional requirement for issuers and companies that support issuing services and store sensitive authentication data</i>					



PCI DSS Requirement	Expected Testing	Response ¹ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
3.4 Access to displays of full PAN and ability to copy PAN are restricted.						
3.4.1 PAN is masked when displayed (the BIN and last four digits are the maximum number of digits to be displayed), such that only personnel with a legitimate business need can see more than the BIN and last four digits of the PAN.	<ul style="list-style-type: none"> Examine documented policies and procedures. Examine system configurations. Examine the documented list of roles that need access to more than the BIN and last four digits of the PAN (includes full PAN). Examine displays of PAN (for example, on screen, on paper receipts). 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes This requirement does not supersede stricter requirements in place for displays of cardholder data—for example, legal or payment brand requirements for point-of-sale (POS) receipts. This requirement relates to protection of PAN where it is displayed on screens, paper receipts, printouts, etc., and is not to be confused with Requirement 3.5.1 for protection of PAN when stored, processed, or transmitted.						
3.4.2 When using remote-access technologies, technical controls prevent copy and/or relocation of PAN for all personnel, except for those with documented, explicit authorization and a legitimate, defined business need.	<ul style="list-style-type: none"> Examine documented policies and procedures and documented evidence for technical controls. Examine configurations for remote-access technologies. Observe processes. Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes Storing or relocating PAN onto local hard drives, removable electronic media, and other storage devices brings these devices into scope for PCI DSS. <i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i>						



PCI DSS Requirement	Expected Testing	Response ¹ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
3.5 Primary account number (PAN) is secured wherever it is stored.						
3.5.1 PAN is rendered unreadable anywhere it is stored by using any of the following approaches: <ul style="list-style-type: none"> • One-way hashes based on strong cryptography of the entire PAN. • Truncation (hashing cannot be used to replace the truncated segment of PAN). <ul style="list-style-type: none"> – If hashed and truncated versions of the same PAN, or different truncation formats of the same PAN, are present in an environment, additional controls are in place such that the different versions cannot be correlated to reconstruct the original PAN • Index tokens. • Strong cryptography with associated key-management processes and procedures. 	<ul style="list-style-type: none"> • Examine documentation about the system used to render PAN unreadable. • Examine data repositories. • Examine audit logs, including payment application logs. • Examine controls to verify that the hashed and truncated PANs cannot be correlated to reconstruct the original PAN. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes This requirement applies to PANs stored in primary storage (databases, or flat files such as text files spreadsheets) as well as non-primary storage (backup, audit logs, exception, or troubleshooting logs). This requirement does not preclude the use of temporary files containing cleartext PAN while encrypting and decrypting PAN						
3.5.1.1 Hashes used to render PAN unreadable (per the first bullet of Requirement 3.5.1), are keyed cryptographic hashes of the entire PAN, with associated key-management processes and procedures in accordance with Requirements 3.6 and 3.7.	<ul style="list-style-type: none"> • Examine documentation about the hashing method used. • Examine documentation about the key-management procedures and processes. • Examine data repositories. • Examine audit logs, including payment application logs. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes						



PCI DSS Requirement	Expected Testing	Response ¹ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>All Applicability Notes for Requirement 3.5.1 also apply to this requirement.</p> <p>Key-management processes and procedures (Requirements 3.6 and 3.7) do not apply to system components used to generate individual keyed hashes of a PAN for comparison to another system if:</p> <ul style="list-style-type: none"> The system components only have access to one hash value at a time (hash values are not stored on the system) <p>AND</p> <ul style="list-style-type: none"> There is no other account data stored on the same system as the hashes. <p><i>This requirement is considered a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment. This requirement will replace the bullet in Requirement 3.5.1 for one-way hashes once its effective date is reached.</i></p>						

Item 11.2 - Attachment A - Released to Public

Confidential



PCI DSS Requirement	Expected Testing	Response ¹ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>3.5.1.2 If disk-level or partition-level encryption (rather than file-, column-, or field-level database encryption) is used to render PAN unreadable, it is implemented only as follows:</p> <ul style="list-style-type: none"> On removable electronic media. <p>OR</p> <ul style="list-style-type: none"> If used for non-removable electronic media, PAN is also rendered unreadable via another mechanism that meets Requirement 3.5.1. 	<ul style="list-style-type: none"> Observe encryption processes. Examine configurations and/or vendor documentation. Observe encryption processes. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>This requirement applies to any encryption method that provides clear-text PAN automatically when a system runs, even though an authorized user has not specifically requested that data. While disk or partition encryption may still be present on these types of devices, it cannot be the only mechanism used to protect PAN stored on those systems. Any stored PAN must also be rendered unreadable per Requirement 3.5.1—for example, through truncation or a data-level encryption mechanism. Full disk encryption helps to protect data in the event of physical loss of a disk and therefore its use is appropriate only for removable electronic media storage devices. Media that is part of a data center architecture (for example, hot-swappable drives, bulk tape-backups) is considered non-removable electronic media to which Requirement 3.5.1 applies. Disk or partition encryption implementations must also meet all other PCI DSS encryption and key-management requirements.</p> <p><i>Part of this Applicability Note was intentionally removed for this SAQ as it does not apply to merchant assessments.</i></p> <p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>						



PCI DSS Requirement	Expected Testing	Response ¹ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>3.5.1.3 If disk-level or partition-level encryption is used (rather than file-, column-, or field-level database encryption) to render PAN unreadable, it is managed as follows:</p> <ul style="list-style-type: none"> Logical access is managed separately and independently of native operating system authentication and access control mechanisms. Decryption keys are not associated with user accounts. Authentication factors (passwords, passphrases, or cryptographic keys) that allow access to unencrypted data are stored securely. 	<ul style="list-style-type: none"> Examine system configurations. Observe the authentication process. Examine files containing authentication factors. Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>Disk or partition encryption implementations must also meet all other PCI DSS encryption and key-management requirements.</p>						

Item 11.2 - Attachment A - Released to Public

Confidential



PCI DSS Requirement	Expected Testing	Response ¹ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
3.6 Cryptographic keys used to protect stored account data are secured.						
3.6.1 Procedures are defined and implemented to protect cryptographic keys used to protect stored account data against disclosure and misuse that include: <ul style="list-style-type: none"> • Access to keys is restricted to the fewest number of custodians necessary. • Key-encrypting keys are at least as strong as the data-encrypting keys they protect. • Key-encrypting keys are stored separately from data-encrypting keys. • Keys are stored securely in the fewest possible locations and forms. 	<ul style="list-style-type: none"> • Examine documented key-management policies and procedures. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes This requirement applies to keys used to protect stored account data and to key-encrypting keys used to protect data-encrypting keys. The requirement to protect keys used to protect stored account data from disclosure and misuse applies to both data-encrypting keys and key-encrypting keys. Because one key-encrypting key may grant access to many data-encrypting keys, the key-encrypting keys require strong protection measures.						
3.6.1.1	<i>Additional requirement for service providers only</i>					



PCI DSS Requirement	Expected Testing	Response ¹ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>3.6.1.2 Secret and private keys used to protect stored account data are stored in one (or more) of the following forms at all times:</p> <ul style="list-style-type: none"> • Encrypted with a key-encrypting key that is at least as strong as the data-encrypting key, and that is stored separately from the data-encrypting key. • Within a secure cryptographic device (SCD), such as a hardware security module (HSM) or PTS-approved point-of-interaction device. • As at least two full-length key components or key shares, in accordance with an industry-accepted method. 	<ul style="list-style-type: none"> • Examine documented procedures. • Examine system configurations and key storage locations, including for key-encrypting keys. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>It is not required that public keys be stored in one of these forms.</p> <p>Cryptographic keys stored as part of a key-management system (KMS) that employs SCDs are acceptable.</p> <p>A cryptographic key that is split into two parts does not meet this requirement. Secret or private keys stored as key components or key shares must be generated via one of the following:</p> <ul style="list-style-type: none"> • Using an approved random number generator and within an SCD, <p>OR</p> <ul style="list-style-type: none"> • According to ISO 19592 or equivalent industry standard for generation of secret key shares. 						
<p>3.6.1.3 Access to cleartext cryptographic key components is restricted to the fewest number of custodians necessary.</p>	<ul style="list-style-type: none"> • Examine user access lists. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>3.6.1.4 Cryptographic keys are stored in the fewest possible locations.</p>	<ul style="list-style-type: none"> • Examine key storage locations. • Observe processes. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response ¹ (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
3.7 Where cryptography is used to protect stored account data, key-management processes and procedures covering all aspects of the key lifecycle are defined and implemented.							
3.7.1	Key-management policies and procedures are implemented to include generation of strong cryptographic keys used to protect stored account data.	<ul style="list-style-type: none"> Examine documented key-management policies and procedures. Observe the method for generating keys. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3.7.2	Key-management policies and procedures are implemented to include secure distribution of cryptographic keys used to protect stored account data.	<ul style="list-style-type: none"> Examine documented key-management policies and procedures. Observe the method for distributing keys. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3.7.3	Key-management policies and procedures are implemented to include secure storage of cryptographic keys used to protect stored account data.	<ul style="list-style-type: none"> Examine documented key-management policies and procedures. Observe the method for storing keys. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3.7.4	Key-management policies and procedures are implemented for cryptographic key changes for keys that have reached the end of their cryptoperiod, as defined by the associated application vendor or key owner, and based on industry best practices and guidelines, including the following: <ul style="list-style-type: none"> A defined cryptoperiod for each key type in use. A process for key changes at the end of the defined cryptoperiod. 	<ul style="list-style-type: none"> Examine documented key-management policies and procedures. Interview personnel. Observe key storage locations. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response ¹ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>3.7.5 Key-management policies procedures are implemented to include the retirement, replacement, or destruction of keys used to protect stored account data, as deemed necessary when:</p> <ul style="list-style-type: none"> The key has reached the end of its defined cryptoperiod. The integrity of the key has been weakened, including when personnel with knowledge of a cleartext key component leaves the company, or the role for which the key component was known. The key is suspected of or known to be compromised. <p>Retired or replaced keys are not used for encryption operations.</p> <p>Applicability Notes</p> <p>If retired or replaced cryptographic keys need to be retained, these keys must be securely archived (for example, by using a key-encryption key).</p>	<ul style="list-style-type: none"> Examine documented key-management policies and procedures. Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>3.7.6 Where manual cleartext cryptographic key-management operations are performed by personnel, key-management policies and procedures are implemented including managing these operations using split knowledge and dual control.</p> <p>Applicability Notes</p> <p>This control is applicable for manual key-management operations.</p> <p>A cryptographic key that is simply split into two parts does not meet this requirement. Secret or private keys stored as key components or key shares must be generated via one of the following:</p> <ul style="list-style-type: none"> Using an approved random number generator and within a secure cryptographic device (SCD), such as a hardware security module (HSM) or PTS-approved point-of-interaction device, <p>OR</p> <ul style="list-style-type: none"> According to ISO 19592 or equivalent industry standard for generation of secret key shares. 	<ul style="list-style-type: none"> Examine documented key-management policies and procedures. Interview personnel. Observe processes. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response ¹ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
3.7.7	Key-management policies and procedures are implemented to include the prevention of unauthorized substitution of cryptographic keys.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3.7.8	Key-management policies and procedures are implemented to include that cryptographic key custodians formally acknowledge (in writing or electronically) that they understand and accept their key-custodian responsibilities.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3.7.9	<i>Additional requirement for service providers only</i>					

Item 11.2 - Attachment A
 Confidential
 Released to Public



Requirement 4: Protect Cardholder Data with Strong Cryptography During Transmission Over Open, Public Networks

NOT FOR PUBLICATION

PCI DSS Requirement	Expected Testing	Response [♦] (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
4.1 Processes and mechanisms for protecting cardholder data with strong cryptography during transmission over open, public networks are defined and understood.							
4.1.1	All security policies and operational procedures that are identified in Requirement 4 are: <ul style="list-style-type: none"> • Documented. • Kept up to date. • In use. • Known to all affected parties. 	<ul style="list-style-type: none"> • Examine documentation. • Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4.1.2	Roles and responsibilities for performing activities in Requirement 4 are documented, assigned, and understood.	<ul style="list-style-type: none"> • Examine documentation. • Interview responsible personnel 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Page 106

♦ Refer to the "Requirement Responses" section (page v) for information about these response options.



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
4.2 PAN is protected with strong cryptography during transmission.						
4.2.1	Strong cryptography and security protocols are implemented as follows to safeguard PAN during transmission over open, public networks:					
	<ul style="list-style-type: none"> Only trusted keys and certificates are accepted. 	<ul style="list-style-type: none"> Examine documented policies and procedures. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<ul style="list-style-type: none"> Certificates used to safeguard PAN during transmission over open, public networks are confirmed as valid and are not expired or revoked. <i>This bullet is a best practice until its effective date; refer to Applicability Notes below for details.</i> 	<ul style="list-style-type: none"> Interview personnel. Examine system configurations. Examine cardholder data transmissions. Examine keys and certificates. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<ul style="list-style-type: none"> The protocol in use supports only secure versions or configurations and does not support fallback to, or use of insecure versions, algorithms, key sizes, or implementations. 		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<ul style="list-style-type: none"> The encryption strength is appropriate for the encryption methodology in use. 		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes						
<p>A self-signed certificate may also be acceptable if the certificate is issued by an internal CA within the organization, the certificate's author is confirmed, and the certificate is verified—for example, via hash or signature—and has not expired.</p> <p><i>The bullet above (for confirming that certificates used to safeguard PAN during transmission over open, public networks are valid and are not expired or revoked) is a best practice until 31 March 2025, after which it will be required as part of Requirement 4.2.1 and must be fully considered during a PCI DSS assessment.</i></p>						



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
4.2.1.1 An inventory of the entity's trusted keys and certificates used to protect PAN during transmission is maintained.	<ul style="list-style-type: none"> Examine documented policies and procedures. Examine the inventory of trusted keys and certificates. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes <i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i>						
4.2.1.2 Wireless networks transmitting PAN or connected to the CDE use industry best practices to implement strong cryptography for authentication and transmission.	<ul style="list-style-type: none"> Examine system configurations. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4.2.2 PAN is secured with strong cryptography whenever it is sent via end-user messaging technologies.	<ul style="list-style-type: none"> Examine documented policies and procedures. Examine system configurations and vendor documentation. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes This requirement also applies if a customer, or other third party, requests that PAN is sent to them via end-user messaging technologies. There could be occurrences where an entity receives unsolicited cardholder data via an insecure communication channel that was not intended for transmissions of sensitive data. In this situation, the entity can choose to either include the channel in the scope of their CDE and secure it according to PCI DSS or delete the cardholder data and implement measures to prevent the channel from being used for cardholder data.						



Maintain a Vulnerability Management Program

Requirement 5: Protect All Systems and Networks from Malicious Software

PCI DSS Requirement	Expected Testing	Response [♦] (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
5.1 Processes and mechanisms for protecting all systems and networks from malicious software are defined and understood.							
5.1.1	All security policies and operational procedures that are identified in Requirement 5 are: <ul style="list-style-type: none"> • Documented. • Kept up to date. • In use. • Known to all affected parties. 	<ul style="list-style-type: none"> • Examine documentation. • Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.1.2	Roles and responsibilities for performing activities in Requirement 5 are documented, assigned, and understood.	<ul style="list-style-type: none"> • Examine documentation. • Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.2 Malicious software (malware) is prevented, or detected and addressed.							
5.2.1	An anti-malware solution(s) is deployed on all system components, except for those system components identified in periodic evaluations per Requirement 5.2.3 that concludes the system components are not at risk from malware.	<ul style="list-style-type: none"> • Examine system components. • Examine the periodic evaluations. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.2.2	The deployed anti-malware solution(s): <ul style="list-style-type: none"> • Detects all known types of malware. • Removes, blocks, or contains all known types of malware. 	<ul style="list-style-type: none"> • Examine vendor documentation. • Examine system configurations. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

♦ Refer to the "Requirement Responses" section (page v) for information about these response options.



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>5.2.3 Any system components that are not at risk for malware are evaluated periodically to include the following:</p> <ul style="list-style-type: none"> A documented list of all system components not at risk for malware. Identification and evaluation of evolving malware threats for those system components. Confirmation whether such system components continue to not require anti-malware protection. 	<ul style="list-style-type: none"> Examine documented policies and procedures. Interview personnel. Examine the list of system components not at risk for malware and compare against the system components without an anti-malware solution deployed. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>System components covered by this requirement are those for which there is no anti-malware solution deployed per Requirement 5.2.1.</p>						
<p>5.2.3.1 The frequency of periodic evaluations of system components identified as not at risk for malware is defined in the entity's targeted risk analysis, which is performed according to all elements specified in Requirement 12.3.1.</p>	<ul style="list-style-type: none"> Examine the targeted risk analysis. Examine documented results of periodic evaluations. Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>						
<p>5.3 Anti-malware mechanisms and processes are active, maintained, and monitored.</p>						
<p>5.3.1 The anti-malware solution(s) is kept current via automatic updates.</p>	<ul style="list-style-type: none"> Examine anti-malware solution(s) configurations, including any master installation. Examine system components and logs. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>5.3.2 The anti-malware solution(s):</p> <ul style="list-style-type: none"> Performs periodic scans and active or real-time scans OR Performs continuous behavioral analysis of systems or processes. 	<ul style="list-style-type: none"> Examine anti-malware solution(s) configurations, including any master installation. Examine system components. Examine logs and scan results. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>5.3.2.1 If periodic malware scans are performed to meet Requirement 5.3.2, the frequency of scans is defined in the entity's targeted risk analysis, which is performed according to all elements specified in Requirement 12.3.1.</p> <p>Applicability Notes</p> <p>This requirement applies to entities conducting periodic malware scans to meet Requirement 5.3.2.</p> <p>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</p>	<ul style="list-style-type: none"> Examine the targeted risk analysis. Examine documented results of periodic malware scans. Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>5.3.3 For removable electronic media, the anti-malware solution(s):</p> <ul style="list-style-type: none"> Performs automatic scans of when the media is inserted, connected, or logically mounted, <p>OR</p> <ul style="list-style-type: none"> Performs continuous behavioral analysis of systems or processes when the media is inserted, connected, or logically mounted. <p>Applicability Notes</p> <p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>	<ul style="list-style-type: none"> Examine anti-malware solution(s) configurations. Examine system components with removable electronic media. Examine logs and scan results. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>5.3.4 Audit logs for the anti-malware solution(s) are enabled and retained in accordance with Requirement 10.5.1.</p>	<ul style="list-style-type: none"> Examine anti-malware solution(s) configurations. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>5.3.5 Anti-malware mechanisms cannot be disabled or altered by users, unless specifically documented, and authorized by management on a case-by-case basis for a limited time period.</p> <p>Applicability Notes</p> <p>Anti-malware solutions may be temporarily disabled only if there is a legitimate technical need, as authorized by management on a case-by-case basis. If anti-malware protection needs to be disabled for a specific purpose, it must be formally authorized. Additional security measures may also need to be implemented for the period during which anti-malware protection is not active.</p>	<ul style="list-style-type: none"> Examine anti-malware configurations. Observe processes. Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5.4 Anti-phishing mechanisms protect users against phishing attacks.						
<p>5.4.1 Processes and automated mechanisms are in place to detect and protect personnel against phishing attacks.</p> <p>Applicability Notes</p> <p>The focus of this requirement is on protecting personnel with access to system components in-scope for PCI DSS.</p> <p>Meeting this requirement for technical and automated controls to detect and protect personnel against phishing is not the same as Requirement 12.6.3.1 for security awareness training. Meeting this requirement does not also meet the requirement for providing personnel with security awareness training, and vice versa.</p> <p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>	<ul style="list-style-type: none"> Observe implemented processes. Examine mechanisms. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



Requirement 6: Develop and Maintain Secure Systems and Software

PCI DSS Requirement		Expected Testing	Response™ (Check one response for each requirement)				
			In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
6.1 Processes and mechanisms for developing and maintaining secure systems and software are defined and understood.							
6.1.1	All security policies and operational procedures that are identified in Requirement 6 are: <ul style="list-style-type: none"> • Documented. • Kept up to date. • In use. • Known to all affected parties. 	<ul style="list-style-type: none"> • Examine documentation. • Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.1.2	Roles and responsibilities for performing activities in Requirement 6 are documented, assigned, and understood.	<ul style="list-style-type: none"> • Examine documentation. • Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.2 Bespoke and custom software are developed securely.							
6.2.1	Bespoke and custom software are developed securely, as follows: <ul style="list-style-type: none"> • Based on industry standards and/or best practices for secure development. • In accordance with PCI DSS (for example, secure authentication and logging). • Incorporating consideration of information security issues during each stage of the software development lifecycle. 	<ul style="list-style-type: none"> • Examine documented software development procedures. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes							
This applies to all software developed for or by the entity for the entity's own use. This includes both bespoke and custom software. This does not apply to third-party software.							

Page 113

NOT FOR PUBLICATION

♦ Refer to the "Requirement Responses" section (page v) for information about these response options.



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>6.2.2 Software development personnel working on bespoke and custom software are trained at least once every 12 months as follows:</p> <ul style="list-style-type: none"> On software security relevant to their job function and development languages. Including secure software design and secure coding techniques. Including, if security testing tools are used, how to use the tools for detecting vulnerabilities in software. 	<ul style="list-style-type: none"> Examine documented software development procedures. Examine training records. Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>Software development personnel remain knowledgeable about secure development practices; software security; and attacks against the languages, frameworks, or applications they develop. Personnel are able to access assistance and guidance when required.</p>						
<p>6.2.3 Bespoke and custom software is reviewed prior to being released into production or to customers, to identify and correct potential coding vulnerabilities, as follows:</p> <ul style="list-style-type: none"> Code reviews ensure code is developed according to secure coding guidelines. Code reviews look for both existing and emerging software vulnerabilities. Appropriate corrections are implemented prior to release. 	<ul style="list-style-type: none"> Examine documented software development procedures. Interview responsible personnel. Examine evidence of changes to bespoke and custom software. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>This requirement for code reviews applies to all bespoke and custom software (both internal and public facing), as part of the system development lifecycle. Public-facing web applications are also subject to additional controls, to address ongoing threats and vulnerabilities after implementation, as defined at PCI DSS Requirement 6.4. Code reviews may be performed using either manual or automated processes, or a combination of both.</p>						



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>6.2.3.1 If manual code reviews are performed for bespoke and custom software prior to release to production, code changes are:</p> <ul style="list-style-type: none"> Reviewed by individuals other than the originating code author, and who are knowledgeable about code-review techniques and secure coding practices. Reviewed and approved by management prior to release. 	<ul style="list-style-type: none"> Examine documented software development procedures. Interview responsible personnel. Examine evidence of changes to bespoke and custom software. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>Manual code reviews can be conducted by knowledgeable internal personnel or knowledgeable third-party personnel.</p> <p>An individual that has been formally granted accountability for release control and who is neither the original code author nor the code reviewer fulfills the criteria of being management.</p>						

Item 11.2 - Attachment A Released to Public
 Confidential



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
6.2.4 Software engineering techniques or other methods are defined and in use by software development personnel to prevent or mitigate common software attacks and related vulnerabilities in bespoke and custom software, including but not limited to the following: <ul style="list-style-type: none"> Injection attacks, including SQL, LDAP, XPath, or other command, parameter, object, fault, or injection-type flaws. Attacks on data and data structures, including attempts to manipulate buffers, pointers, input data, or shared data. Attacks on cryptography usage, including attempts to exploit weak, insecure, or inappropriate cryptographic implementations, algorithms, cipher suites, or modes of operation. Attacks on business logic, including attempts to abuse or bypass application features and functionalities through the manipulation of APIs, communication protocols and channels, client-side functionality, or other system/application functions and resources. This includes cross-site scripting (XSS) and cross-site request forgery (CSRF). Attacks on access control mechanisms, including attempts to bypass or abuse identification, authentication, or authorization mechanisms, or attempts to exploit weaknesses in the implementation of such mechanisms. Attacks via any "high-risk" vulnerabilities identified in the vulnerability identification process, as defined in Requirement 6.3.1. 	<ul style="list-style-type: none"> Examine documented procedures. Interview responsible software development personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes						
This applies to all software developed for or by the entity for the entity's own use. This includes both bespoke and custom software. This does not apply to third-party software.						



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
6.3 Security vulnerabilities are identified and addressed.						
6.3.1 Security vulnerabilities are identified and managed as follows: <ul style="list-style-type: none"> • New security vulnerabilities are identified using industry-recognized sources for security vulnerability information, including alerts from international and national computer emergency response teams (CERTs). • Vulnerabilities are assigned a risk ranking based on industry best practices and consideration of potential impact. • Risk rankings identify, at a minimum, all vulnerabilities considered to be a high-risk or critical to the environment. • Vulnerabilities for bespoke and custom, and third-party software (for example operating systems and databases) are covered. 	<ul style="list-style-type: none"> • Examine policies and procedures. • Interview responsible personnel. • Examine documentation. • Observe processes. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes						
This requirement is not achieved by, and is in addition to, performing vulnerability scans according to Requirements 11.3.1 and 11.3.2. This requirement is for a process to actively monitor industry sources for vulnerability information and for the entity to determine the risk ranking to be associated with each vulnerability.						
6.3.2 An inventory of bespoke and custom software, and third-party software components incorporated into bespoke and custom software is maintained to facilitate vulnerability and patch management.	<ul style="list-style-type: none"> • Examine documentation. • Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes						
<i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment</i>						



PCI DSS Requirement		Expected Testing	Response™ (Check one response for each requirement)				
			In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
6.3.3	<p>All system components are protected from known vulnerabilities by installing applicable security patches/updates as follows:</p> <ul style="list-style-type: none"> Patches/updates for critical vulnerabilities (identified according to the risk ranking process at Requirement 6.3.1) are installed within one month of release. All other applicable security patches/updates are installed within an appropriate time frame as determined by the entity's assessment of the criticality of the risk to the environment as identified according to the risk ranking process at Requirement 6.3.1. 	<ul style="list-style-type: none"> Examine policies and procedures. Examine system components and related software. Compare list of security patches installed to recent vendor patch lists. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Item 11.2 - Attachment A - Released to Public
 Confidential



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
6.4 Public-facing web applications are protected against attacks.						
<p>6.4.1 For public-facing web applications, new threats and vulnerabilities are addressed on an ongoing basis and these applications are protected against known attacks as follows:</p> <ul style="list-style-type: none"> • Reviewing public-facing web applications via manual or automated application vulnerability security assessment tools or methods as follows: <ul style="list-style-type: none"> – At least once every 12 months and after significant changes. – By an entity that specializes in application security. – Including, at a minimum, all common software attacks in Requirement 6.2.4. – All vulnerabilities are ranked in accordance with Requirement 6.3.1. – All vulnerabilities are corrected. – The application is re-evaluated after the corrections <p>OR</p> <ul style="list-style-type: none"> • Installing an automated technical solution(s) that continually detects and prevents web-based attacks as follows: <ul style="list-style-type: none"> – Installed in front of public-facing web applications to detect and prevent web-based attacks. – Actively running and up to date as applicable. – Generating audit logs. – Configured to either block web-based attacks or generate an alert that is immediately investigated. 	<ul style="list-style-type: none"> • Examine documented processes. • Interview personnel. • Examine records of application security assessments • Examine the system configuration settings and audit logs. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes (continued)						
<p>6.4.1 (cont.) This assessment is not the same as the vulnerability scans performed for Requirement 11.3.1 and 11.3.2.</p> <p>This requirement will be superseded by Requirement 6.4.2 after 31 March 2025 when Requirement 6.4.2 becomes effective.</p>						



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>6.4.2 For public-facing web applications, an automated technical solution is deployed that continually detects and prevents web-based attacks, with at least the following:</p> <ul style="list-style-type: none"> Is installed in front of public-facing web applications and is configured to detect and prevent web-based attacks. Actively running and up to date as applicable. Generating audit logs. Configured to either block web-based attacks or generate an alert that is immediately investigated. 	<ul style="list-style-type: none"> Examine the system configuration settings. Examine audit logs. Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>This new requirement will replace Requirement 6.4.1 once its effective date is reached. <i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>						



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
6.4.3	All payment page scripts that are loaded and executed in the consumer's browser are managed as follows:					
<ul style="list-style-type: none"> A method is implemented to confirm that each script is authorized. 	<ul style="list-style-type: none"> Examine policies and procedures. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> A method is implemented to assure the integrity of each script. 	<ul style="list-style-type: none"> Interview responsible personnel. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> An inventory of all scripts is maintained with written business or technical justification as to why each is necessary. 	<ul style="list-style-type: none"> Examine inventory records. Examine system configurations. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes						
<p>This requirement applies to all scripts loaded from the entity's environment and scripts loaded from third and fourth parties.</p> <p>This requirement also applies to scripts in the entity's webpage(s) that includes a TPSP's/payment processor's embedded payment page/form (for example, one or more inline frames or iframes).</p> <p>This requirement does not apply to an entity for scripts in a TPSP's/payment processor's embedded payment page/form (for example, one or more iframes), where the entity includes a TPSP's/payment processor's payment page/form on its webpage.</p> <p>Scripts in the TPSP's/payment processor's embedded payment page/form are the responsibility of the TPSP/payment processor to manage in accordance with this requirement.</p> <p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>						



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
6.5 Changes to all system components are managed securely.							
6.5.1	<p>Changes to all system components in the production environment are made according to established procedures that include:</p> <ul style="list-style-type: none"> Reason for, and description of, the change. Documentation of security impact. Documented change approval by authorized parties. Testing to verify that the change does not adversely impact system security. For bespoke and custom software changes, all updates are tested for compliance with Requirement 6.2.4 before being deployed into production. Procedures to address failures and return to a secure state. 	<ul style="list-style-type: none"> Examine documented change control procedures. Examine recent changes to system components and trace changes to change control documentation. Examine change control documentation. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.5.2	<p>Upon completion of a significant change, all applicable PCI DSS requirements are confirmed to be in place on all new or changed systems and networks, and documentation is updated as applicable.</p>	<ul style="list-style-type: none"> Examine documentation for significant changes. Interview personnel. Observe the affected systems/networks. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes							
These significant changes should also be captured and reflected in the entity's annual PCI DSS scope confirmation activity per Requirement 12.5.2.							
6.5.3	<p>Pre-production environments are separated from production environments and the separation is enforced with access controls.</p>	<ul style="list-style-type: none"> Examine policies and procedures. Examine network documentation and configurations of network security controls. Examine access control settings. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>6.5.4 Roles and functions are separated between production and pre-production environments to provide accountability such that only reviewed and approved changes are deployed.</p> <p>Applicability Notes</p> <p>In environments with limited personnel where individuals perform multiple roles or functions, this same goal can be achieved with additional procedural controls that provide accountability. For example, a developer may also be an administrator that uses an administrator-level account with elevated privileges in the development environment and, for their developer role, they use a separate account with user-level access to the production environment.</p>	<ul style="list-style-type: none"> Examine policies and procedures. Observe processes. Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>6.5.5 Live PANs are not used in pre-production environments, except where those environments are included in the CDE and protected in accordance with all applicable PCI DSS requirements.</p>	<ul style="list-style-type: none"> Examine policies and procedures. Observe testing processes. Interview personnel. Examine pre-production test data. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>6.5.6 Test data and test accounts are removed from system components before the system goes into production.</p>	<ul style="list-style-type: none"> Examine policies and procedures. Observe testing processes for both off-the-shelf software and in-house applications. Interview personnel. Examine data and accounts for recently installed or updated off-the-shelf software and in-house applications. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



Implement Strong Access Control Measures

Requirement 7: Restrict Access to System Components and Cardholder Data by Business Need to Know

NOT FOR PUBLICATION

PCI DSS Requirement	Expected Testing	Response [♦] (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
7.1 Processes and mechanisms for restricting access to system components and cardholder data by business need to know are defined and understood.							
7.1.1	All security policies and operational procedures that are identified in Requirement 7 are: <ul style="list-style-type: none"> • Documented. • Kept up to date. • In use. • Known to all affected parties. 	<ul style="list-style-type: none"> • Examine documentation. • Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.1.2	Roles and responsibilities for performing activities in Requirement 7 are documented, assigned, and understood.	<ul style="list-style-type: none"> • Examine documentation. • Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.2 Access to system components and data is appropriately defined and assigned.							
7.2.1	An access control model is defined and includes granting access as follows: <ul style="list-style-type: none"> • Appropriate access depending on the entity’s business and access needs. • Access to system components and data resources that is based on users’ job classification and functions. • The least privileges required (for example, user, administrator) to perform a job function. 	<ul style="list-style-type: none"> • Examine documented policies and procedures. • Interview personnel. • Examine access control model settings. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

♦ Refer to the “Requirement Responses” section (page v) for information about these response options.



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
7.2.2 Access is assigned to users, including privileged users, based on: <ul style="list-style-type: none"> • Job classification and function. • Least privileges necessary to perform job responsibilities. 	<ul style="list-style-type: none"> • Examine policies and procedures. • Examine user access settings, including for privileged users. • Interview responsible management personnel. • Interview personnel responsible for assigning access. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.2.3 Required privileges are approved by authorized personnel.	<ul style="list-style-type: none"> • Examine policies and procedures. • Examine user IDs and assigned privileges. • Examine documented approvals. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.2.4 All user accounts and related access privileges, including third-party/vendor accounts, are reviewed as follows: <ul style="list-style-type: none"> • At least once every six months. • To ensure user accounts and access remain appropriate based on job function. • Any inappropriate access is addressed. • Management acknowledges that access remains appropriate. 	<ul style="list-style-type: none"> • Examine policies and procedures. • Interview responsible personnel. • Examine documented results of periodic reviews of user accounts. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes This requirement applies to all user accounts and related access privileges, including those used by personnel and third parties/vendors, and accounts used to access third-party cloud services. See Requirements 7.2.5 and 7.2.5.1 and 8.6.1 through 8.6.3 for controls for application and system accounts. <i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i>						



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>7.2.5</p> <p>All application and system accounts and related access privileges are assigned and managed as follows:</p> <ul style="list-style-type: none"> Based on the least privileges necessary for the operability of the system or application. Access is limited to the systems, applications, or processes that specifically require their use. 	<ul style="list-style-type: none"> Examine policies and procedures. Examine privileges associated with system and application accounts. Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>						
<p>7.2.5.1</p> <p>All access by application and system accounts and related access privileges are reviewed as follows:</p> <ul style="list-style-type: none"> Periodically (at the frequency defined in the entity's targeted risk analysis, which is performed according to all elements specified in Requirement 12.3.1). The application/system access remains appropriate for the function being performed. Any inappropriate access is addressed. Management acknowledges that access remains appropriate. 	<ul style="list-style-type: none"> Examine policies and procedures. Examine the targeted risk analysis. Interview responsible personnel. Examine documented results of periodic reviews of system and application accounts and related privileges. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>						



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>7.2.6 All user access to query repositories of stored cardholder data is restricted as follows:</p> <ul style="list-style-type: none"> Via applications or other programmatic methods, with access and allowed actions based on user roles and least privileges. Only the responsible administrator(s) can directly access or query repositories of stored CHD. 	<ul style="list-style-type: none"> Examine policies and procedures. Interview personnel. Examine configuration settings for querying repositories of stored cardholder data. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>This requirement applies to controls for user access to query repositories of stored cardholder data.</p> <p>See Requirements 7.2.5 and 7.2.5.1 and 8.6.1 through 8.6.3 for controls for application and system accounts.</p>						
<p>7.3 Access to system components and data is managed via an access control system(s).</p>						
<p>7.3.1 An access control system(s) is in place that restricts access based on a user's need to know and covers all system components.</p>	<ul style="list-style-type: none"> Examine vendor documentation. Examine configuration settings. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>7.3.2 The access control system(s) is configured to enforce permissions assigned to individuals, applications, and systems based on job classification and function.</p>	<ul style="list-style-type: none"> Examine vendor documentation. Examine configuration settings. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>7.3.3 The access control system(s) is set to "deny all" by default.</p>	<ul style="list-style-type: none"> Examine vendor documentation. Examine configuration settings. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



Requirement 8: Identify Users and Authenticate Access to System Components

NOT FOR PUBLICATION

PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
8.1 Processes and mechanisms for identifying users and authenticating access to system components are defined and understood.							
8.1.1	All security policies and operational procedures that are identified in Requirement 8 are: <ul style="list-style-type: none"> • Documented. • Kept up to date. • In use. • Known to all affected parties. 	<ul style="list-style-type: none"> • Examine documentation. • Interview personnel. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.1.2	Roles and responsibilities for performing activities in Requirement 8 are documented, assigned, and understood.	<ul style="list-style-type: none"> • Examine documentation. • Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.2 User identification and related accounts for users and administrators are strictly managed throughout an account's lifecycle.							
8.2.1	All users are assigned a unique ID before access to system components or cardholder data is allowed.	<ul style="list-style-type: none"> • Interview responsible personnel. • Examine audit logs and other evidence. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes							
This requirement is not intended to apply to user accounts within point-of-sale terminals that have access to only one card number at a time to facilitate a single transaction.							

Page 128

♦ Refer to the "Requirement Responses" section (page v) for information about these response options.



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>8.2.2 Group, shared, or generic IDs, or other shared authentication credentials are only used when necessary on an exception basis, and are managed as follows:</p> <ul style="list-style-type: none"> ID use is prevented unless needed for an exceptional circumstance. Use is limited to the time needed for the exceptional circumstance. Business justification for use is documented. Use is explicitly approved by management. Individual user identity is confirmed before access to an account is granted. Every action taken is attributable to an individual user. <p>Applicability Notes</p> <p>This requirement is not intended to apply to user accounts within point-of-sale terminals that have access to only one card number at a time to facilitate a single transaction.</p>	<ul style="list-style-type: none"> Examine user account lists on system components and applicable documentation. Examine authentication policies and procedures. Interview system administrators. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.2.3	<i>Additional requirement for service providers only</i>					
<p>8.2.4 Addition, deletion, and modification of user IDs, authentication factors, and other identifier objects are managed as follows:</p> <ul style="list-style-type: none"> Authorized with the appropriate approval. Implemented with only the privileges specified on the documented approval. <p>Applicability Notes</p> <p>This requirement applies to all user accounts, including employees, contractors, consultants, temporary workers, and third-party vendors.</p>	<ul style="list-style-type: none"> Examine documented authorizations across various phases of the account lifecycle (additions, modifications, and deletions). Examine system settings. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>8.2.5 Access for terminated users is immediately revoked.</p>	<ul style="list-style-type: none"> Examine information sources for terminated users. Review current user access lists. Interview responsible personnel. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
8.2.6	Inactive user accounts are removed or disabled within 90 days of inactivity.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.2.7	Accounts used by third parties to access, support, or maintain system components via remote access are managed as follows: <ul style="list-style-type: none"> Enabled only during the time period needed and disabled when not in use. Use is monitored for unexpected activity. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.2.8	If a user session has been idle for more than 15 minutes, the user is required to re-authenticate to re-activate the terminal or session.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes						
This requirement is not intended to apply to user accounts on point-of-sale terminals that have access to only one card number at a time to facilitate a single transaction.						
This requirement is not meant to prevent legitimate activities from being performed while the console/PC is unattended.						
8.3 Strong authentication for users and administrators is established and managed.						
8.3.1	All user access to system components for users and administrators is authenticated via at least one of the following authentication factors: <ul style="list-style-type: none"> Something you know, such as a password or passphrase. Something you have, such as a token device or smart card. Something you are, such as a biometric element. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes						



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
	<p>This requirement is not intended to apply to user accounts on point-of-sale terminals that have access to only one card number at a time to facilitate a single transaction.</p> <p>This requirement does not supersede multi-factor authentication (MFA) requirements but applies to those in-scope systems not otherwise subject to MFA requirements.</p> <p>A digital certificate is a valid option for “something you have” if it is unique for a particular user</p>					
8.3.2	<p>Strong cryptography is used to render all authentication factors unreadable during transmission and storage on all system components.</p> <ul style="list-style-type: none"> Examine vendor documentation Examine system configuration settings. Examine repositories of authentication factors. Examine data transmissions. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.3.3	<p>User identity is verified before modifying any authentication factor.</p> <ul style="list-style-type: none"> Examine procedures for modifying authentication factors. Observe security personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.3.4	<p>Invalid authentication attempts are limited by:</p> <ul style="list-style-type: none"> Locking out the user ID after not more than 10 attempts. Setting the lockout duration to a minimum of 30 minutes or until the user’s identity is confirmed. <p>Applicability Notes</p> <p>This requirement is not intended to apply to user accounts within point-of-sale terminals that have access to only one card number at a time to facilitate a single transaction</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.3.5	<p>If passwords/passphrases are used as authentication factors to meet Requirement 8.3.1, they are set and reset for each user as follows:</p> <ul style="list-style-type: none"> Set to a unique value for first-time use and upon reset. Forced to be changed immediately after the first use. <ul style="list-style-type: none"> Examine procedures for setting and resetting passwords/passphrases. Observe security personnel. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>8.3.6</p> <p>If passwords/passphrases are used as authentication factors to meet Requirement 8.3.1, they meet the following minimum level of complexity:</p> <ul style="list-style-type: none"> A minimum length of 12 characters (or IF the system does not support 12 characters, a minimum length of eight characters). Contain both numeric and alphabetic characters. <p>Applicability Notes</p> <p>This requirement is not intended to apply to:</p> <ul style="list-style-type: none"> User accounts on point-of-sale terminals that have access to only one card number at a time to facilitate a single transaction. Application or system accounts, which are governed by requirements in section 8.6. <p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p> <p>Until 31 March 2025, passwords must be a minimum length of seven characters in accordance with PCI DSS v3.2.1 Requirement 8.2.3.</p>	<ul style="list-style-type: none"> Examine system configuration settings. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>8.3.7</p> <p>Individuals are not allowed to submit a new password/passphrase that is the same as any of the last four passwords/passphrases used.</p> <p>Applicability Notes</p> <p>This requirement is not intended to apply to user accounts within point-of-sale terminals that have access to only one card number at a time to facilitate a single transaction.</p>	<ul style="list-style-type: none"> Examine system configuration settings. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
8.3.8 Authentication policies and procedures are documented and communicated to all users including: <ul style="list-style-type: none"> Guidance on selecting strong authentication factors. Guidance for how users should protect their authentication factors. Instructions not to reuse previously used passwords/passphrases. Instructions to change passwords/passphrases if there is any suspicion or knowledge that the password/passphrases have been compromised and how to report the incident. 	<ul style="list-style-type: none"> Examine procedures. Interview personnel. Review authentication policies and procedures that are distributed to users. Interview users. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.3.9 If passwords/passphrases are used as the only authentication factor for user access (i.e., in any single-factor authentication implementation) then either: <ul style="list-style-type: none"> Passwords/passphrases are changed at least once every 90 days, <p>OR</p> <ul style="list-style-type: none"> The security posture of accounts is dynamically analyzed, and real-time access to resources is automatically determined accordingly. 	<ul style="list-style-type: none"> Inspect system configuration settings. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes						
This requirement does not apply to in-scope system components where MFA is used. This requirement is not intended to apply to user accounts on point-of-sale terminals that have access to only one card number at a time to facilitate a single transaction. This requirement does not apply to service providers' customer accounts but does apply to accounts for service provider personnel.						
8.3.10	<i>Additional requirement for service providers only</i>					
8.3.10.1	<i>Additional requirement for service providers only</i>					



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
8.3.11 Where authentication factors such as physical or logical security tokens, smart cards, or certificates are used: <ul style="list-style-type: none"> • Factors are assigned to an individual user and not shared among multiple users. • Physical and/or logical controls ensure only the intended user can use that factor to gain access. 	<ul style="list-style-type: none"> • Examine authentication policies and procedures. • Interview security personnel. • Examine system configuration settings and/or observe physical controls, as applicable. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.4 Multi-factor authentication (MFA) is implemented to secure access into the CDE.						
8.4.1 MFA is implemented for all non-console access into the CDE for personnel with administrative access.	<ul style="list-style-type: none"> • Examine network and/or system configurations. • Observe administrator personnel logging into the CDE. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes The requirement for MFA for non-console administrative access applies to all personnel with elevated or increased privileges accessing the CDE via a non-console connection—that is, via logical access occurring over a network interface rather than via a direct, physical connection.						

Item 11.2 - Attachment A - Released to Public



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
8.4.2	<p>MFA is implemented for all non-console access into the CDE.</p> <ul style="list-style-type: none"> Examine network and/or system configurations. Observe personnel logging in to the CDE. Examine evidence. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>This requirement does not apply to:</p> <ul style="list-style-type: none"> Application or system accounts performing automated functions. User accounts on point-of-sale terminals that have access to only one card number at a time to facilitate a single transaction. User accounts that are only authenticated with phishing-resistant authentication factors. <p>MFA is required for both types of access specified in Requirements 8.4.2 and 8.4.3. Therefore, applying MFA to one type of access does not replace the need to apply another instance of MFA to the other type of access. If an individual first connects to the entity's network via remote access, and then later initiates a connection into the CDE from within the network, per this requirement the individual would authenticate using MFA twice, once when connecting via remote access to the entity's network and once when connecting from the entity's network into the CDE.</p> <p>The MFA requirements apply for all types of system components, including cloud, hosted systems, and on-premises applications, network security devices, workstations, servers, and endpoints, and includes access directly to an entity's networks or systems as well as web-based access to an application or function.</p> <p>MFA for access into the CDE can be implemented at the network or system/application level; it does not have to be applied at both levels. For example, if MFA is used when a user connects to the CDE network, it does not have to be used when the user logs into each system or application within the CDE.</p> <p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment</i></p>						



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>8.4.3 MFA is implemented for all remote access originating from outside the entity's network that could access or impact the CDE.</p>	<ul style="list-style-type: none"> Examine network and/or system configurations for remote access servers and systems. Observe personnel (for example, users and administrators) and third parties connecting remotely to the network. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>The requirement for MFA for remote access originating from outside the entity's network applies to all user accounts that can access the network remotely, where that remote access leads to or could lead to access into the CDE. This includes all remote access by personnel (users and administrators), and third parties (including, but not limited to, vendors, suppliers, service providers, and customers).</p> <p>If remote access is to a part of the entity's network that is properly segmented from the CDE, such that remote users cannot access or impact the CDE, MFA for remote access to that part of the network is not required. However, MFA is required for any remote access to networks with access to the CDE and is recommended for all remote access to the entity's networks.</p> <p>The MFA requirements apply for all types of system components, including cloud, hosted systems, and on-premises applications, network security devices, workstations, servers, and endpoints, and includes access directly to an entity's networks or systems as well as web-based access to an application or function.</p>						

Item 11.2 - Approved for Release to the Public



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
8.5 Multi-factor authentication (MFA) systems are configured to prevent misuse.							
8.5.1	<p>MFA systems are implemented as follows:</p> <ul style="list-style-type: none"> The MFA system is not susceptible to replay attacks. MFA systems cannot be bypassed by any users, including administrative users unless specifically documented, and authorized by management on an exception basis, for a limited time period. At least two different types of authentication factors are used. Success of all authentication factors is required before access is granted. 	<ul style="list-style-type: none"> Examine vendor system documentation. Examine system configurations for the MFA implementation. Interview responsible personnel and observe processes. Observe personnel logging into system components in the CDE. Observe personnel connecting remotely from outside the entity's network. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>							

Item 11.2 - Attachment A - Self-Assessment Questionnaire
 Confidential - For Internal Use Only - Not to be Released to the Public



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
8.6 Use of application and system accounts and associated authentication factors is strictly managed.						
8.6.1 If accounts used by systems or applications can be used for interactive login, they are managed as follows: <ul style="list-style-type: none"> Interactive use is prevented unless needed for an exceptional circumstance. Interactive use is limited to the time needed for the exceptional circumstance. Business justification for interactive use is documented. Interactive use is explicitly approved by management. Individual user identity is confirmed before access to account is granted. Every action taken is attributable to an individual user. 	<ul style="list-style-type: none"> Examine application and system accounts that can be used for interactive login. Interview administrative personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes <i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i>						
8.6.2 Passwords/passphrases for any application and system accounts that can be used for interactive login are not hard coded in scripts, configuration/property files, or bespoke and custom source code.	<ul style="list-style-type: none"> Interview personnel. Examine system development procedures. Examine scripts, configuration/property files, and bespoke and custom source code for application and system accounts that can be used for interactive login. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes Stored passwords/passphrases are required to be encrypted in accordance with PCI DSS Requirement 8.3.2. <i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i>						



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>8.6.3 Passwords/passphrases for any application and system accounts are protected against misuse as follows:</p> <ul style="list-style-type: none"> • Passwords/passphrases are changed periodically (at the frequency defined in the entity’s targeted risk analysis, which is performed according to all elements specified in Requirement 12.3.1) and upon suspicion or confirmation of compromise. • Passwords/passphrases are constructed with sufficient complexity appropriate for how frequently the entity changes the passwords/passphrases. 	<ul style="list-style-type: none"> • Examine policies and procedures. • Examine the targeted risk analysis. • Interview responsible personnel. • Examine system configuration settings. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes						
<p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>						

Item 11.2 - Attachment A - Released to Public

Confidential



Requirement 9: Restrict Physical Access to Cardholder Data

NOT FOR PUBLICATION

PCI DSS Requirement	Expected Testing	Response [♦]					
		<i>(Check one response for each requirement)</i>					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
9.1 Processes and mechanisms for restricting physical access to cardholder data are defined and understood.							
9.1.1	All security policies and operational procedures that are identified in Requirement 9 are: <ul style="list-style-type: none"> • Documented. • Kept up to date. • In use. • Known to all affected parties. 	<ul style="list-style-type: none"> • Examine documentation. • Interview personnel. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.1.2	Roles and responsibilities for performing activities in Requirement 9 are documented, assigned, and understood.	<ul style="list-style-type: none"> • Examine documentation. • Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.2 Physical access controls manage entry into facilities and systems containing cardholder data.							
9.2.1	Appropriate facility entry controls are in place to restrict physical access to systems in the CDE.	<ul style="list-style-type: none"> • Observe physical entry controls. • Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes							
This requirement does not apply to locations that are publicly accessible by consumers (cardholders).							

Page 140

♦ Refer to the "Requirement Responses" section (page v) for information about these response options.



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
9.2.1.1 Individual physical access to sensitive areas within the CDE is monitored with either video cameras or physical access control mechanisms (or both) as follows: <ul style="list-style-type: none"> • Entry and exit points to/from sensitive areas within the CDE are monitored. • Monitoring devices or mechanisms are protected from tampering or disabling. • Collected data is reviewed and correlated with other entries. • Collected data is stored for at least three months, unless otherwise restricted by law. 	<ul style="list-style-type: none"> • Observe locations where individual physical access to sensitive areas within the CDE occurs. • Observe the physical access control mechanisms and/or examine video cameras. • Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.2.2 Physical and/or logical controls are implemented to restrict use of publicly accessible network jacks within the facility.	<ul style="list-style-type: none"> • Interview responsible personnel. • Observe locations of publicly accessible network jacks. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.2.3 Physical access to wireless access points, gateways, networking/communications hardware, and telecommunication lines within the facility is restricted.	<ul style="list-style-type: none"> • Interview responsible personnel. • Observe locations of hardware and lines. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.2.4 Access to consoles in sensitive areas is restricted via locking when not in use.	<ul style="list-style-type: none"> • Observe a system administrator's attempt to log into consoles in sensitive areas. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.3 Physical access for personnel and visitors is authorized and managed.						
9.3.1 Procedures are implemented for authorizing and managing physical access of personnel to the CDE, including: <ul style="list-style-type: none"> • Identifying personnel. • Managing changes to an individual's physical access requirements. • Revoking or terminating personnel identification. • Limiting access to the identification process or system to authorized personnel. 	<ul style="list-style-type: none"> • Examine documented procedures. • Observe identification methods, such as ID badges. • Observe processes. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
9.3.1.1 Physical access to sensitive areas within the CDE for personnel is controlled as follows: <ul style="list-style-type: none"> • Access is authorized and based on individual job function. • Access is revoked immediately upon termination. • All physical access mechanisms, such as keys, access cards, etc., are returned or disabled upon termination. 	<ul style="list-style-type: none"> • Observe personnel in sensitive areas within the CDE. • Interview responsible personnel. • Examine physical access control lists. • Observe processes. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.3.2 Procedures are implemented for authorizing and managing visitor access to the CDE, including: <ul style="list-style-type: none"> • Visitors are authorized before entering. • Visitors are escorted at all times. • Visitors are clearly identified and given a badge or other identification that expires. • Visitor badges or other identification visibly distinguishes visitors from personnel. 	<ul style="list-style-type: none"> • Examine documented procedures. • Observe processes when visitors are present in the CDE. • Interview personnel. • Observe the use of visitor badges or other identification. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.3.3 Visitor badges or identification are surrendered or deactivated before visitors leave the facility or at the date of expiration.	<ul style="list-style-type: none"> • Observe visitors leaving the facility • Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.3.4 Visitor logs are used to maintain a physical record of visitor activity both within the facility and within sensitive areas, including: <ul style="list-style-type: none"> • The visitor's name and the organization represented. • The date and time of the visit. • The name of the personnel authorizing physical access. • Retaining the log for at least three months, unless otherwise restricted by law. 	<ul style="list-style-type: none"> • Examine the visitor logs. • Interview responsible personnel. • Examine visitor log storage locations. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.4 Media with cardholder data is securely stored, accessed, distributed, and destroyed.						
9.4.1 All media with cardholder data is physically secured.	<ul style="list-style-type: none"> • Examine documentation. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement		Expected Testing	Response™ (Check one response for each requirement)				
			In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
9.4.1.1	Offline media backups with cardholder data are stored in a secure location.	<ul style="list-style-type: none"> Examine documented procedures. Examine logs or other documentation. Interview responsible personnel at the storage location(s). 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.4.1.2	The security of the offline media backup location(s) with cardholder data is reviewed at least once every 12 months.	<ul style="list-style-type: none"> Examine documented procedures, logs, or other documentation. Interview responsible personnel at the storage location(s). 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.4.2	All media with cardholder data is classified in accordance with the sensitivity of the data.	<ul style="list-style-type: none"> Examine documented procedures. Examine media logs or other documentation. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.4.3	Media with cardholder data sent outside the facility is secured as follows: <ul style="list-style-type: none"> Media sent outside the facility is logged. Media is sent by secured courier or other delivery method that can be accurately tracked. Offsite tracking logs include details about media location. 	<ul style="list-style-type: none"> Examine documented procedures. Interview personnel. Examine records. Examine offsite tracking logs for all media. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.4.4	Management approves all media with cardholder data that is moved outside the facility (including when media is distributed to individuals).	<ul style="list-style-type: none"> Examine documented procedures. Examine offsite media tracking logs. Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes							
Individuals approving media movements should have the appropriate level of management authority to grant this approval. However, it is not specifically required that such individuals have “manager” as part of their title.							



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
9.4.5	Inventory logs of all electronic media with cardholder data are maintained.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.4.5.1	Inventories of electronic media with cardholder data are conducted at least once every 12 months.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.4.6	<p>Hard-copy materials with cardholder data are destroyed when no longer needed for business or legal reasons, as follows:</p> <ul style="list-style-type: none"> Materials are cross-cut shredded, incinerated, or pulped so that cardholder data cannot be reconstructed. Materials are stored in secure storage containers prior to destruction. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes						
These requirements for media destruction when that media is no longer needed for business or legal reasons are separate and distinct from PCI DSS Requirement 3.2.1, which is for securely deleting cardholder data when no longer needed per the entity's cardholder data retention policies.						



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>9.4.7 Electronic media with cardholder data is destroyed when no longer needed for business or legal reasons via one of the following:</p> <ul style="list-style-type: none"> The electronic media is destroyed. The cardholder data is rendered unrecoverable so that it cannot be reconstructed. 	<ul style="list-style-type: none"> Examine the media destruction policy. Observe the media destruction process. Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>These requirements for media destruction when that media is no longer needed for business or legal reasons are separate and distinct from PCI DSS Requirement 3.2.1, which is for securely deleting cardholder data when no longer needed per the entity's cardholder data retention policies.</p>						
<p>9.5 Point-of-interaction (POI) devices are protected from tampering and unauthorized substitution.</p>						
<p>9.5.1 POI devices that capture payment card data via direct physical interaction with the payment card form factor are protected from tampering and unauthorized substitution, including the following:</p> <ul style="list-style-type: none"> Maintaining a list of POI devices. Periodically inspecting POI devices to look for tampering or unauthorized substitution. Training personnel to be aware of suspicious behavior and to report tampering or unauthorized substitution of devices. 	<ul style="list-style-type: none"> Examine documented policies and procedures. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>These requirements apply to deployed POI devices used in card-present transactions (that is, a payment card form factor such as a card that is swiped, tapped, or dipped).</p> <p>These requirements do not apply to:</p> <ul style="list-style-type: none"> Components used only for manual PAN key entry. Commercial off-the-shelf (COTS) devices (for example, smartphones or tablets), which are mobile merchant-owned devices designed for mass-market distribution. 						



PCI DSS Requirement		Expected Testing	Response™ (Check one response for each requirement)				
			In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
9.5.1.1	An up-to-date list of POI devices is maintained, including: <ul style="list-style-type: none"> • Make and model of the device. • Location of device. • Device serial number or other methods of unique identification. 	<ul style="list-style-type: none"> • Examine the list of POI devices. • Observe POI devices and device locations. • Interview personnel. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.5.1.2	POI device surfaces are periodically inspected to detect tampering and unauthorized substitution.	<ul style="list-style-type: none"> • Examine documented procedures. • Interview responsible personnel. • Observe inspection processes. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9.5.1.2.1	The frequency of periodic POI device inspections and the type of inspections performed is defined in the entity's targeted risk analysis, which is performed according to all elements specified in Requirement 12.3.1.	<ul style="list-style-type: none"> • Examine the targeted risk analysis. • Examine documented results of periodic device inspections. • Interview personnel. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes							
<i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i>							
9.5.1.3	Training is provided for personnel in POI environments to be aware of attempted tampering or replacement of POI devices, and includes: <ul style="list-style-type: none"> • Verifying the identity of any third-party persons claiming to be repair or maintenance personnel, before granting them access to modify or troubleshoot devices. • Procedures to ensure devices are not installed, replaced, or returned without verification. • Being aware of suspicious behavior around devices. • Reporting suspicious behavior and indications of device tampering or substitution to appropriate personnel. 	<ul style="list-style-type: none"> • Review training materials for personnel in POI environments. • Interview responsible personnel. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



Regularly Monitor and Test Networks

Requirement 10: Log and Monitor All Access to System Components and Cardholder Data

NOT FOR PUBLICATION

PCI DSS Requirement	Expected Testing	Response [♦] (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
10.1 Processes and mechanisms for logging and monitoring all access to system components and cardholder data are defined and understood.							
10.1.1	All security policies and operational procedures that are identified in Requirement 10 are: <ul style="list-style-type: none"> • Documented. • Kept up to date. • In use. • Known to all affected parties. 	<ul style="list-style-type: none"> • Examine documentation. • Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.1.2	Roles and responsibilities for performing activities in Requirement 10 are documented, assigned, and understood.	<ul style="list-style-type: none"> • Examine documentation. • Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.2 Audit logs are implemented to support the detection of anomalies and suspicious activity, and the forensic analysis of events.							
10.2.1	Audit logs are enabled and active for all system components and cardholder data.	<ul style="list-style-type: none"> • Interview the system administrator. • Examine system configurations. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.2.1.1	Audit logs capture all individual user access to cardholder data.	<ul style="list-style-type: none"> • Examine audit log configurations. • Examine audit log data. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.2.1.2	Audit logs capture all actions taken by any individual with administrative access, including any interactive use of application or system accounts.	<ul style="list-style-type: none"> • Examine audit log configurations. • Examine audit log data. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.2.1.3	Audit logs capture all access to audit logs.	<ul style="list-style-type: none"> • Examine audit log configurations. • Examine audit log data. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.2.1.4	Audit logs capture all invalid logical access attempts.	<ul style="list-style-type: none"> • Examine audit log configurations. • Examine audit log data. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

♦ Refer to the "Requirement Responses" section (page v) for information about these response options.



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
10.2.1.5 Audit logs capture all changes to identification and authentication credentials including, but not limited to: <ul style="list-style-type: none"> • Creation of new accounts. • Elevation of privileges. • All changes, additions, or deletions to accounts with administrative access. 	<ul style="list-style-type: none"> • Examine audit log configurations. • Examine audit log data. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.2.1.6 Audit logs capture the following: <ul style="list-style-type: none"> • All initialization of new audit logs, and • All starting, stopping, or pausing of the existing audit logs. 	<ul style="list-style-type: none"> • Examine audit log configurations. • Examine audit log data. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.2.1.7 Audit logs capture all creation and deletion of system-level objects.	<ul style="list-style-type: none"> • Examine audit log configurations. • Examine audit log data. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.2.2 Audit logs record the following details for each auditable event: <ul style="list-style-type: none"> • User identification. • Type of event. • Date and time. • Success and failure indication. • Origination of event. • Identity or name of affected data, system component, resource, or service (for example, name and protocol). 	<ul style="list-style-type: none"> • Interview responsible personnel. • Examine audit log configurations. • Examine audit log data. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.3 Audit logs are protected from destruction and unauthorized modifications.						
10.3.1 Read access to audit logs files is limited to those with a job-related need.	<ul style="list-style-type: none"> • Interview system administrators • Examine system configurations and privileges. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.3.2 Audit log files are protected to prevent modifications by individuals.	<ul style="list-style-type: none"> • Examine system configurations and privileges. • Interview system administrators. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement		Expected Testing	Response™ (Check one response for each requirement)				
			In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
10.3.3	Audit log files, including those for external-facing technologies, are promptly backed up to a secure, central, internal log server(s) or other media that is difficult to modify.	<ul style="list-style-type: none"> Examine backup configurations or log files. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.3.4	File integrity monitoring or change-detection mechanisms is used on audit logs to ensure that existing log data cannot be changed without generating alerts.	<ul style="list-style-type: none"> Examine system settings. Examine monitored files. Examine results from monitoring activities. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.4 Audit logs are reviewed to identify anomalies or suspicious activity.							
10.4.1	The following audit logs are reviewed at least once daily: <ul style="list-style-type: none"> All security events. Logs of all system components that store, process, or transmit CHD and/or SAD. Logs of all critical system components. Logs of all servers and system components that perform security functions (for example, network security controls, intrusion-detection systems/intrusion-prevention systems (IDS/IPS), authentication servers). 	<ul style="list-style-type: none"> Examine security policies and procedures. Observe processes. Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.4.1.1	Automated mechanisms are used to perform audit log reviews.	<ul style="list-style-type: none"> Examine log review mechanisms. Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes							
		<i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i>					



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
10.4.2 Logs of all other system components (those not specified in Requirement 10.4.1) are reviewed periodically.	<ul style="list-style-type: none"> Examine security policies and procedures. Examine documented results of log reviews. Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes This requirement is applicable to all other in-scope system components not included in Requirement 10.4.1.						
10.4.2.1 The frequency of periodic log reviews for all other system components (not defined in Requirement 10.4.1) is defined in the entity's targeted risk analysis, which is performed according to all elements specified in Requirement 12.3.1.	<ul style="list-style-type: none"> Examine the targeted risk analysis. Examine documented results of periodic log reviews. Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes <i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i>						
10.4.3 Exceptions and anomalies identified during the review process are addressed.	<ul style="list-style-type: none"> Examine security policies and procedures. Observe processes. Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.5 Audit log history is retained and available for analysis.						
10.5.1 Retain audit log history for at least 12 months, with at least the most recent three months immediately available for analysis.	<ul style="list-style-type: none"> Examine documented audit log retention policies and procedures. Examine configurations of audit log history. Examine audit logs. Interview personnel. Observe processes. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
10.6 Time-synchronization mechanisms support consistent time settings across all systems.							
10.6.1	System clocks and time are synchronized using time-synchronization technology. Applicability Notes Keeping time-synchronization technology current includes managing vulnerabilities and patching the technology according to PCI DSS Requirements 6.3.1 and 6.3.3.	<ul style="list-style-type: none"> Examine system configuration settings. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.6.2	Systems are configured to the correct and consistent time as follows: <ul style="list-style-type: none"> One or more designated time servers are in use. Only the designated central time server(s) receives time from external sources. Time received from external sources is based on International Atomic Time or Coordinated Universal Time (UTC). The designated time server(s) accept time updates only from specific industry-accepted external sources. Where there is more than one designated time server, the time servers peer with one another to keep accurate time. Internal systems receive time information only from designated central time server(s). 	<ul style="list-style-type: none"> Examine system configuration settings for acquiring, distributing, and storing the correct time. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.6.3	Time synchronization settings and data are protected as follows: <ul style="list-style-type: none"> Access to time data is restricted to only personnel with a business need. Any changes to time settings on critical systems are logged, monitored, and reviewed. 	<ul style="list-style-type: none"> Examine system configurations and time-synchronization settings and logs. Observe processes. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
10.7 Failures of critical security control systems are detected, reported, and responded to promptly.							
10.7.1	<i>Additional requirement for service providers only</i>						
10.7.2	<p>Failures of critical security control systems are detected, alerted, and addressed promptly, including but not limited to failure of the following critical security control systems:</p> <ul style="list-style-type: none"> • Network security controls. • IDS/IPS. • Change-detection mechanisms. • Anti-malware solutions. • Physical access controls. • Logical access controls. • Audit logging mechanisms. • Segmentation controls (if used). • Audit log review mechanisms. • Automated security testing tools (if used). 	<ul style="list-style-type: none"> • Examine documented processes. • Observe detection and alerting processes. • Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes							
<p>This requirement applies to all entities, including service providers, and will supersede Requirement 10.7.1 as of 31 March 2025. It includes two additional critical security control systems not in Requirement 10.7.1.</p> <p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>							



PCI DSS Requirement	Expected Testing	Response [™] (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>10.7.3 Failures of any critical security controls systems are responded to promptly, including but not limited to:</p> <ul style="list-style-type: none"> Restoring security functions. Identifying and documenting the duration (date and time from start to end) of the security failure. Identifying and documenting the cause(s) of failure and documenting required remediation. Identifying and addressing any security issues that arose during the failure. Determining whether further actions are required as a result of the security failure. Implementing controls to prevent the cause of failure from reoccurring. Resuming monitoring of security controls. 	<ul style="list-style-type: none"> Examine documented processes . Interview personnel. Examine records related to critical security control systems failures. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>This requirement applies only when the entity being assessed is a service provider until 31 March 2025, after which this requirement will apply to all entities.</p> <p><i>This is a current v3.2.1 requirement that applies to service providers only. However, this requirement is a best practice for all other entities until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>						



Requirement 11: Test Security of Systems and Networks Regularly

PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
11.1 Processes and mechanisms for regularly testing security of systems and networks are defined and understood.							
11.1.1	All security policies and operational procedures that are identified in Requirement 11 are: <ul style="list-style-type: none"> • Documented. • Kept up to date. • In use. • Known to all affected parties. 	<ul style="list-style-type: none"> • Examine documentation. • Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11.1.2	Roles and responsibilities for performing activities in Requirement 11 are documented, assigned, and understood.	<ul style="list-style-type: none"> • Examine documentation. • Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

♦ Refer to the "Requirement Responses" section (page v) for information about these response options.



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
11.2 Wireless access points are identified and monitored, and unauthorized wireless access points are addressed.						
11.2.1 Authorized and unauthorized wireless access points are managed as follows: <ul style="list-style-type: none"> The presence of wireless (Wi-Fi) access points is tested for. All authorized and unauthorized wireless access points are detected and identified. Testing, detection, and identification occurs at least once every three months. If automated monitoring is used, personnel are notified via generated alerts. 	<ul style="list-style-type: none"> Examine policies and procedures. Examine the methodology(ies) in use and the resulting documentation. Interview personnel. Examine wireless assessment results. Examine configuration settings. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes						
The requirement applies even when a policy exists that prohibits the use of wireless technology. Methods used to meet this requirement must be sufficient to detect and identify both authorized and unauthorized devices, including unauthorized devices attached to devices that themselves are authorized.						
11.2.2 An inventory of authorized wireless access points is maintained, including a documented business justification.	<ul style="list-style-type: none"> Examine documentation. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
11.3 External and internal vulnerabilities are regularly identified, prioritized, and addressed.							
11.3.1	<p>Internal vulnerability scans are performed as follows:</p> <ul style="list-style-type: none"> At least once every three months. Vulnerabilities that are either high-risk or critical (according to the entity's vulnerability risk rankings defined at Requirement 6.3.1) are resolved. Rescans are performed that confirm all high-risk and critical vulnerabilities (as noted above) have been resolved. Scan tool is kept up to date with latest vulnerability information. Scans are performed by qualified personnel and organizational independence of the tester exists. 	<ul style="list-style-type: none"> Examine internal scan report results. Examine scan tool configurations. Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes							
<p>It is not required to use a QSA or ASV to conduct internal vulnerability scans.</p> <p>Internal vulnerability scans can be performed by qualified, internal staff that are reasonably independent of the system component(s) being scanned (for example, a network administrator should not be responsible for scanning the network), or an entity may choose to have internal vulnerability scans performed by a firm specializing in vulnerability scanning.</p>							



PCI DSS Requirement	Expected Testing	Response [™] (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>11.3.1.1 All other applicable vulnerabilities (those not ranked as high-risk vulnerabilities or critical vulnerabilities according to the entity's vulnerability risk rankings defined at Requirement 6.3.1) are managed as follows:</p> <ul style="list-style-type: none"> Addressed based on the risk defined in the entity's targeted risk analysis, which is performed according to all elements specified in Requirement 12.3.1. Rescans are conducted as needed. 	<ul style="list-style-type: none"> Examine the targeted risk analysis. Interview responsible personnel. Examine internal scan report results or other documentation. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>The timeframe for addressing lower-risk vulnerabilities is subject to the results of a risk analysis per Requirement 12.3.1 that includes (minimally) identification of assets being protected, threats, and likelihood and/or impact of a threat being realized.</p> <p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>						



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
11.3.1.2 Internal vulnerability scans are performed via authenticated scanning as follows:	<ul style="list-style-type: none"> Systems that are unable to accept credentials for authenticated scanning are documented. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<ul style="list-style-type: none"> Sufficient privileges are used for those systems that accept credentials for scanning. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<ul style="list-style-type: none"> If accounts used for authenticated scanning can be used for interactive login, they are managed in accordance with Requirement 8.2.2. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Applicability Notes The authenticated scanning tools can be either host-based or network-based. “Sufficient” privileges are those needed to access system resources such that a thorough scan can be conducted that detects known vulnerabilities. This requirement does not apply to system components that cannot accept credentials for scanning. Examples of systems that may not accept credentials for scanning include some network and security appliances, mainframes, and containers. <i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i>					
11.3.1.3 Internal vulnerability scans are performed after any significant change as follows:	<ul style="list-style-type: none"> Vulnerabilities that are either high-risk or critical(according to the entity’s vulnerability risk rankings defined at Requirement 6.3.1) are resolved. Rescans are conducted as needed. Scans are performed by qualified personnel and organizational independence of the tester exists (not required to be a QSA or ASV). 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes Authenticated internal vulnerability scanning per Requirement 11.3.1.2 is not required for scans performed after significant changes.						



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>11.3.2 External vulnerability scans are performed as follows:</p> <ul style="list-style-type: none"> At least once every three months. By a PCI SSC Approved Scanning Vendor (ASV) Vulnerabilities are resolved and <i>ASV Program Guide</i> requirements for a passing scan are met. Rescans are performed as needed to confirm that vulnerabilities are resolved per the <i>ASV Program Guide</i> requirements for a passing scan. 	<ul style="list-style-type: none"> Examine ASV scan reports. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>For the initial PCI DSS assessment against this requirement, it is not required that four passing scans be completed within 12 months if the assessor verifies: 1) the most recent scan result was a passing scan, 2) the entity has documented policies and procedures requiring scanning at least once every three months, and 3) vulnerabilities noted in the scan results have been corrected as shown in a re-scan(s).</p> <p>However, for subsequent years after the initial PCI DSS assessment, passing scans at least every three months must have occurred.</p> <p>ASV scanning tools can scan a vast array of network types and topologies. Any specifics about the target environment (for example, load balancers, third-party providers, ISPs, specific configurations, protocols in use, scan interference) should be worked out between the ASV and scan customer.</p> <p>Refer to the <i>ASV Program Guide</i> published on the PCI SSC website for scan customer responsibilities, scan preparation, etc.</p>						
<p>11.3.2.1 External vulnerability scans are performed after any significant change as follows:</p> <ul style="list-style-type: none"> Vulnerabilities that are scored 4.0 or higher by the CVSS are resolved. Rescans are conducted as needed. Scans are performed by qualified personnel and organizational independence of the tester exists (not required to be a QSA or ASV). 	<ul style="list-style-type: none"> Examine change control documentation. Interview personnel. Examine external scan, and as applicable rescan reports. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
11.4 External and internal penetration testing is regularly performed, and exploitable vulnerabilities and security weaknesses are corrected.						
11.4.1 A penetration testing methodology is defined, documented, and implemented by the entity, and includes: <ul style="list-style-type: none"> • Industry-accepted penetration testing approaches. • Coverage for the entire CDE perimeter and critical systems. • Testing from both inside and outside the network. • Testing to validate any segmentation and scope-reduction controls. • Application-layer penetration testing to identify, at a minimum, the vulnerabilities listed in Requirement 6.2.4. • Network-layer penetration tests that encompass all components that support network functions as well as operating systems. • Review and consideration of threats and vulnerabilities experienced in the last 12 months. • Documented approach to assessing and addressing the risk posed by exploitable vulnerabilities and security weaknesses found during penetration testing. • Retention of penetration testing results and remediation activities results for at least 12 months. 	<ul style="list-style-type: none"> • Examine documentation. • Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes (cont.)						



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
11.4.1 <i>(cont.)</i> Testing from inside the network (or “internal penetration testing”) means testing from both inside the CDE and into the CDE from trusted and untrusted internal networks. Testing from outside the network (or “external penetration testing”) means testing the exposed external perimeter of trusted networks, and critical systems connected to or accessible to public network infrastructures.						
11.4.2 Internal penetration testing is performed: <ul style="list-style-type: none"> Per the entity’s defined methodology. At least once every 12 months. After any significant infrastructure or application upgrade or change. By a qualified internal resource or qualified external third-party Organizational independence of the tester exists (not required to be a QSA or ASV). 	<ul style="list-style-type: none"> Examine scope of work. Examine results from the most recent external penetration test. Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11.4.3 External penetration testing is performed: <ul style="list-style-type: none"> Per the entity’s defined methodology. At least once every 12 months. After any significant infrastructure or application upgrade or change. By a qualified internal resource or qualified external third-party. Organizational independence of the tester exists (not required to be a QSA or ASV). 	<ul style="list-style-type: none"> Examine scope of work. Examine results from the most recent external penetration test. Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11.4.4 Exploitable vulnerabilities and security weaknesses found during penetration testing are corrected as follows: <ul style="list-style-type: none"> In accordance with the entity’s assessment of the risk posed by the security issue as defined in Requirement 6.3.1. Penetration testing is repeated to verify the corrections. 	<ul style="list-style-type: none"> Examine penetration testing results. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response ¹ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
11.4.5 If segmentation is used to isolate the CDE from other networks, penetration tests are performed on segmentation controls as follows: <ul style="list-style-type: none"> At least once every 12 months and after any changes to segmentation controls/methods Covering all segmentation controls/methods in use. According to the entity's defined penetration testing methodology. Confirming that the segmentation controls/methods are operational and effective, and isolate the CDE from all out-of-scope systems. Confirming effectiveness of any use of isolation to separate systems with differing security levels (see Requirement 2.2.3). Performed by a qualified internal resource or qualified external third party. Organizational independence of the tester exists (not required to be a QSA or ASV). 	<ul style="list-style-type: none"> Examine segmentation controls. Review penetration-testing methodology. Examine the results from the most recent penetration test. Interview responsible personnel. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11.4.6	<i>Additional requirement for service providers only.</i>					
11.4.7	<i>Additional requirement for multi-tenant service providers only.</i>					



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
11.5 Network intrusions and unexpected file changes are detected and responded to.							
11.5.1	Intrusion-detection and/or intrusion-prevention techniques are used to detect and/or prevent intrusions into the network as follows: <ul style="list-style-type: none"> All traffic is monitored at the perimeter of the CDE. All traffic is monitored at critical points in the CDE. Personnel are alerted to suspected compromises. All intrusion-detection and prevention engines, baselines, and signatures are kept up to date. 	<ul style="list-style-type: none"> Examine system configurations and network diagrams. Examine system configurations. Interview responsible personnel. Examine vendor documentation. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11.5.1.1	<i>Additional requirement for service providers only.</i>						
11.5.2	A change-detection mechanism (for example, file integrity monitoring tools) is deployed as follows: <ul style="list-style-type: none"> To alert personnel to unauthorized modification (including changes, additions, and deletions) of critical files. To perform critical file comparisons at least once weekly. 	<ul style="list-style-type: none"> Examine system settings for the change-detection mechanism. Examine monitored files. Examine results from monitoring activities. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes							
For change-detection purposes, critical files are usually those that do not regularly change, but the modification of which could indicate a system compromise or risk of compromise. Change-detection mechanisms such as file integrity monitoring products usually come pre-configured with critical files for the related operating system. Other critical files, such as those for custom applications, must be evaluated and defined by the entity (that is, the merchant or service provider).							



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
11.6 Unauthorized changes on payment pages are detected and responded to.							
11.6.1	A change- and tamper-detection mechanism is deployed as follows:						
	<ul style="list-style-type: none"> To alert personnel to unauthorized modification (including indicators of compromise, changes, additions, and deletions) to the security-impacting HTTP headers and the script contents of payment pages as received by the consumer browser. 	<ul style="list-style-type: none"> Examine system settings and mechanism configuration settings. Examine monitored payment pages. Examine results from monitoring activities. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<ul style="list-style-type: none"> The mechanism is configured to evaluate the received HTTP headers and payment pages. 	<ul style="list-style-type: none"> Examine the mechanism configuration settings. Examine configuration settings. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<ul style="list-style-type: none"> The mechanism functions are performed as follows: <ul style="list-style-type: none"> At least weekly OR <ul style="list-style-type: none"> Periodically (at the frequency defined in the entity's targeted risk analysis, which is performed according to all elements specified in Requirement 12.3.1). 	<ul style="list-style-type: none"> Interview responsible personnel. If applicable, examine the targeted risk analysis. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes							



PCI DSS Requirement	Expected Testing	Response ¹ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>This requirement also applies to entities with a webpage(s) that includes a TPSP's/payment processor's embedded payment page/form (for example, one or more inline frames or iframes.)</p> <p>This requirement does not apply to an entity for scripts in a TPSP's/payment processor's embedded payment page/form (for example, one or more iframes), where the entity includes a TPSP's/payment processor's payment page/form on its webpage.</p> <p>Scripts in the TPSP's/payment processor's embedded payment page/form are the responsibility of the TPSP/payment processor to manage in accordance with this requirement.</p> <p>The intention of this requirement is not that an entity install software in the systems or browsers of its consumers, but rather that the entity uses techniques such as those described under Examples in the PCI DSS Guidance column to prevent and detect unexpected script activities.</p> <p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>						

Item 11.2 - Attachment A - Released to Public
 Confidential



Maintain an Information Security Policy

Requirement 12: Support Information Security with Organizational Policies and Programs

PCI DSS Requirement	Expected Testing	Response [♦] (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
12.1 A comprehensive information security policy that governs and provides direction for protection of the entity's information assets is known and current.							
12.1.1	An overall information security policy is: <ul style="list-style-type: none"> Established. Published. Maintained. Disseminated to all relevant personnel, as well as to relevant vendors and business partners. 	<ul style="list-style-type: none"> Examine the information security policy. Interview personnel. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12.1.2	The information security policy is: <ul style="list-style-type: none"> Reviewed at least once every 12 months. Updated as needed to reflect changes to business objectives or risks to the environment 	<ul style="list-style-type: none"> Examine the information security policy. Interview responsible personnel. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12.1.3	The security policy clearly defines information security roles and responsibilities for all personnel, and all personnel are aware of and acknowledge their information security responsibilities.	<ul style="list-style-type: none"> Examine the information security policy. Interview responsible personnel. Examine documented evidence. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12.1.4	Responsibility for information security is formally assigned to a Chief Information Security Officer or other information security knowledgeable member of executive management.	<ul style="list-style-type: none"> Examine the information security policy. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

♦ Refer to the "Requirement Responses" section (page v) for information about these response options.



PCI DSS Requirement	Expected Testing	Response [™] (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
12.2 Acceptable use policies for end-user technologies are defined and implemented.							
12.2.1	Acceptable use policies for end-user technologies are documented and implemented, including: <ul style="list-style-type: none"> • Explicit approval by authorized parties. • Acceptable uses of the technology. • List of products approved by the company for employee use, including hardware and software. 	<ul style="list-style-type: none"> • Examine acceptable use policies. • Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes							
Examples of end-user technologies for which acceptable use policies are expected include, but are not limited to, remote access and wireless technologies, laptops, tablets, mobile phones, and removable electronic media, e-mail usage, and Internet usage.							

Item 11.2 - Attachment 11.2 - Confidential - Released to Public



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
12.3 Risks to the cardholder data environment are formally identified, evaluated, and managed.						
12.3.1 For each PCI DSS requirement that specifies completion of a targeted risk analysis, the analysis is documented and includes: <ul style="list-style-type: none"> • Identification of the assets being protected. • Identification of the threat(s) that the requirement is protecting against. • Identification of factors that contribute to the likelihood and/or impact of a threat being realized. • Resulting analysis that determines, and includes justification for, how the frequency or processes defined by the entity to meet the requirement minimize the likelihood and/or impact of the threat being realized. • Review of each targeted risk analysis at least once every 12 months to determine whether the results are still valid or if an updated risk analysis is needed • Performance of updated risk analyses when needed, as determined by the annual review. 	<ul style="list-style-type: none"> • Examine documented policies and procedures. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes						
<i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i>						
12.3.2	<i>This requirement is specific to the customized approach and does not apply to entities completing a self-assessment questionnaire.</i>					



PCI DSS Requirement	Expected Testing	Response ¹ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>12.3.3 Cryptographic cipher suites and protocols in use are documented and reviewed at least once every 12 months, including at least the following:</p> <ul style="list-style-type: none"> • An up-to-date inventory of all cryptographic cipher suites and protocols in use, including purpose and where used. • Active monitoring of industry trends regarding continued viability of all cryptographic cipher suites and protocols in use. • Documentation of a plan, to respond to anticipated changes in cryptographic vulnerabilities. 	<ul style="list-style-type: none"> • Examine documentation. • Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p>The requirement applies to all cryptographic cipher suites and protocols used to meet PCI DSS requirements, including, but not limited to, those used to render PAN unreadable in storage and transmission, to protect passwords, and as part of authenticating access.</p> <p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>						

Item 11.2 - Attachment A - Released to the Public
 Confidential



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
12.3.4 Hardware and software technologies in use are reviewed at least once every 12 months, including at least the following: <ul style="list-style-type: none"> Analysis that the technologies continue to receive security fixes from vendors promptly. Analysis that the technologies continue to support (and do not preclude) the entity's PCI DSS compliance. Documentation of any industry announcements or trends related to a technology, such as when a vendor has announced "end of life" plans for a technology. Documentation of a plan, approved by senior management, to remediate outdated technologies, including those for which vendors have announced "end of life" plans. 	<ul style="list-style-type: none"> Examine documentation. Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Applicability Notes <i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment</i>							
12.4 PCI DSS compliance is managed.							
12.4.1	<i>Additional requirement for service providers only.</i>						
12.4.2	<i>Additional requirement for service providers only.</i>						
12.4.2.1	<i>Additional requirement for service providers only.</i>						
12.5 PCI DSS scope is documented and validated.							
12.5.1	An inventory of system components that are in scope for PCI DSS, including a description of function/use, is maintained and kept current.	<ul style="list-style-type: none"> Examine the inventory. Interview personnel. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response [™] (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
12.5.2	<p>PCI DSS scope is documented and confirmed by the entity at least once every 12 months and upon significant change to the in-scope environment.</p> <ul style="list-style-type: none"> Examine documented results of scope reviews. Interview personnel. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
At a minimum, the scoping validation includes:						
<ul style="list-style-type: none"> Identifying all data flows for the various payment stages (for example, authorization, capture settlement, chargebacks, and refunds) and acceptance channels (for example, card-present, card-not-present, and e-commerce). 	<ul style="list-style-type: none"> Examine documented results of scope reviews. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> Updating all data-flow diagrams per requirement 1.2.4. 		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> Identifying all locations where account data is stored, processed, and transmitted, including but not limited to: 1) any locations outside of the currently defined CDE, 2) applications that process CHD, 3) transmissions between systems and networks, and 4) file backups. 		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> Identifying all system components in the CDE, connected to the CDE, or that could impact security of the CDE. 		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> Identifying all segmentation controls in use and the environment(s) from which the CDE is segmented, including justification for environments being out of scope. 		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> Identifying all connections from third-party entities with access to the CDE. 		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<ul style="list-style-type: none"> Confirming that all identified data flows, account data, system components, segmentation controls, and connections from third parties with access to the CDE are included in scope. 		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response [™] (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
12.5.2 <i>(cont.)</i> Applicability Notes This annual confirmation of PCI DSS scope is an activity expected to be performed by the entity under assessment, and is not the same, nor is it intended to be replaced by, the scoping confirmation performed by the entity's assessor during the annual assessment.							
12.5.2.1	<i>Additional requirement for service providers only.</i>						
12.5.3	<i>Additional requirement for service providers only.</i>						
12.6 Security awareness education is an ongoing activity.							
12.6.1	A formal security awareness program is implemented to make all personnel aware of the entity's information security policy and procedures, and their role in protecting the cardholder data.	<ul style="list-style-type: none"> Examine the security awareness program. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12.6.2	The security awareness program is: <ul style="list-style-type: none"> Reviewed at least once every 12 months, and Updated as needed to address any new threats and vulnerabilities that may impact the security of the entity's cardholder data and/or sensitive authentication data, or the information provided to personnel about their role in protecting cardholder data. 	<ul style="list-style-type: none"> Examine security awareness program content. Examine evidence of reviews. Interview personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Applicability Notes <i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i>						
12.6.3	Personnel receive security awareness training as follows: <ul style="list-style-type: none"> Upon hire and at least once every 12 months. Multiple methods of communication are used. Personnel acknowledge at least once every 12 months that they have read and understood the information security policy and procedures. 	<ul style="list-style-type: none"> Examine security awareness program records. Interview applicable personnel. Examine the security awareness program materials. Examine personnel acknowledgements. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>12.6.3.1 Security awareness training includes awareness of threats and vulnerabilities that could impact the security of the cardholder data and/or sensitive authentication data, including but not limited to:</p> <ul style="list-style-type: none"> Phishing and related attacks. Social engineering. <p>Applicability Notes</p> <p>See Requirement 5.4.1 in PCI DSS for guidance on the difference between technical and automated controls to detect and protect users from phishing attacks, and this requirement for providing users security awareness training about phishing and social engineering. These are two separate and distinct requirements, and one is not met by implementing controls required by the other one.</p> <p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>	<ul style="list-style-type: none"> Examine security awareness training content. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>12.6.3.2 Security awareness training includes awareness about the acceptable use of end-user technologies in accordance with Requirement 12.2.1.</p> <p>Applicability Notes</p> <p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>	<ul style="list-style-type: none"> Examine security awareness training content. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12.7 Personnel are screened to reduce risks from insider threats.						
<p>12.7.1 Potential personnel who will have access to the CDE are screened, within the constraints of local laws, prior to hire to minimize the risk of attacks from internal sources.</p> <p>Applicability Notes</p> <p>For those potential personnel to be hired for positions such as store cashiers, who only have access to one card number at a time when facilitating a transaction, this requirement is a recommendation only.</p>	<ul style="list-style-type: none"> Interview responsible Human Resource department management personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response™ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
12.8 Risk to information assets associated with third-party service provider (TPSP) relationships is managed.						
12.8.1 A list of all third-party service providers (TPSPs) with which account data is shared or that could affect the security of account data is maintained, including a description for each of the services provided. Applicability Notes The use of a PCI DSS compliant TPSP does not make an entity PCI DSS compliant, nor does it remove the entity's responsibility for its own PCI DSS compliance.	<ul style="list-style-type: none"> Examine policies and procedures. Examine list of TPSPs. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12.8.2 Written agreements with TPSPs are maintained as follows: <ul style="list-style-type: none"> Written agreements are maintained with all TPSPs with which account data is shared or that could affect the security of the CDE. Written agreements include acknowledgments from TPSPs that TPSPs are responsible for the security of account data the TPSPs possess or otherwise store, process, or transmit on behalf of the entity, or to the extent that the TPSP could impact the security of the entity's cardholder data and/or sensitive authentication data. Applicability Notes The exact wording of an agreement will depend on the details of the service being provided, and the responsibilities assigned to each party. The agreement does not have to include the exact wording provided in this requirement. The TPSP's written acknowledgment is a confirmation that states the TPSP is responsible for the security of the account data it may store, process, or transmit on behalf of the customer or to the extent the TPSP may impact the security of a customer's cardholder data and/or sensitive authentication data. Evidence that a TPSP is meeting PCI DSS requirements is not the same as a written acknowledgment specified in this requirement. For example, a PCI DSS Attestation of Compliance (AOC), a declaration on a company's website, a policy statement, a responsibility matrix, or other evidence not included in a written agreement is not a written acknowledgment.	<ul style="list-style-type: none"> Examine policies and procedures. Examine written agreements with TPSPs. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response ¹ (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
12.8.3	An established process is implemented for engaging TPSPs, including proper due diligence prior to engagement.	<ul style="list-style-type: none"> Examine policies and procedures. Examine evidence. Interview responsible personnel. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12.8.4	A program is implemented to monitor TPSPs' PCI DSS compliance status at least once every 12 months.	<ul style="list-style-type: none"> Examine policies and procedures. Examine documentation. Interview responsible personnel. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes							
Where an entity has an agreement with a TPSP for meeting PCI DSS requirements on behalf of the entity (for example, via a firewall service), the entity must work with the TPSP to make sure the applicable PCI DSS requirements are met. If the TPSP does not meet those applicable PCI DSS requirements, then those requirements are also "not in place" for the entity.							
12.8.5	Information is maintained about which PCI DSS requirements are managed by each TPSP, which are managed by the entity, and any that are shared between the TPSP and the entity.	<ul style="list-style-type: none"> Examine policies and procedures. Examine documentation. Interview responsible personnel. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12.9 Third-party service providers (TPSPs) support their customers' PCI DSS compliance.							
12.9.1	<i>Additional requirement for service providers only.</i>						
12.9.2	<i>Additional requirement for service providers only.</i>						



PCI DSS Requirement	Expected Testing	Response [™] (Check one response for each requirement)					
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place	
12.10 Suspected and confirmed security incidents that could impact the CDE are responded to immediately.							
12.10.1	<p>An incident response plan exists and is ready to be activated in the event of a suspected or confirmed security incident. The plan includes, but is not limited to:</p> <ul style="list-style-type: none"> Roles, responsibilities, and communication and contact strategies in the event of a suspected or confirmed security incident, including notification of payment brands and acquirers, at a minimum. Incident response procedures with specific containment and mitigation activities for different types of incidents. Business recovery and continuity procedures. Data backup processes. Analysis of legal requirements for reporting compromises. Coverage and responses of all critical system components. Reference or inclusion of incident response procedures from the payment brands. 	<ul style="list-style-type: none"> Examine the incident response plan. Interview personnel. Examine documentation from previously reported incidents. 	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12.10.2	<p>At least once every 12 months, the security incident response plan is:</p> <ul style="list-style-type: none"> Reviewed and the content is updated as needed. Tested, including all elements listed in Requirement 12.10.1. 	<ul style="list-style-type: none"> Interview personnel. Examine documentation. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12.10.3	<p>Specific personnel are designated to be available on a 24/7 basis to respond to suspected or confirmed security incidents.</p>	<ul style="list-style-type: none"> Interview responsible personnel. Examine documentation. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12.10.4	<p>Personnel responsible for responding to suspected and confirmed security incidents are appropriately and periodically trained on their incident response responsibilities.</p>	<ul style="list-style-type: none"> Interview incident response personnel. Examine training documentation. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response ¹ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>12.10.4.1 The frequency of periodic training for incident response personnel is defined in the entity's targeted risk analysis, which is performed according to all elements specified in Requirement 12.3.1.</p> <p>Applicability Notes</p> <p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>	<ul style="list-style-type: none"> Examine the targeted risk analysis. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>12.10.5 The security incident response plan includes monitoring and responding to alerts from security monitoring systems, including but not limited to:</p> <ul style="list-style-type: none"> Intrusion-detection and intrusion-prevention systems. Network security controls. Change-detection mechanisms for critical files. The change-and tamper-detection mechanism for payment pages. <i>This bullet is a best practice until its effective date; refer to Applicability Notes below for details.</i> Detection of <i>unauthorized</i> wireless access points. <p>Applicability Notes</p> <p><i>The bullet above (for monitoring and responding to alerts from a change- and tamper-detection mechanism for payment pages) is a best practice until 31 March 2025, after which it will be required as part of Requirement 12.10.5 and must be fully considered during a PCI DSS assessment.</i></p>	<ul style="list-style-type: none"> Examine documentation. Observe incident response processes. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>12.10.6 The security incident response plan is modified and evolved according to lessons learned and to incorporate industry developments.</p>	<ul style="list-style-type: none"> Examine policies and procedures. Examine the security incident response plan. Interview responsible personnel. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



PCI DSS Requirement	Expected Testing	Response ¹ (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
<p>12.10.7 Incident response procedures are in place, to be initiated upon the detection of stored PAN anywhere it is not expected, and include:</p> <ul style="list-style-type: none"> Determining what to do if PAN is discovered outside the CDE, including its retrieval, secure deletion, and/or migration into the currently defined CDE, as applicable. Identifying whether sensitive authentication data is stored with PAN. Determining where the account data came from and how it ended up where it was not expected. Remediating data leaks or process gaps that resulted in the account data being where it was not expected. 	<ul style="list-style-type: none"> Examine documented incident response procedures. Interview personnel. Examine records of response actions. 	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Applicability Notes</p> <p><i>This requirement is a best practice until 31 March 2025, after which it will be required and must be fully considered during a PCI DSS assessment.</i></p>						

Item 11.2 - Attachment A - Released to Public
 Confidential



Appendix A: Additional PCI DSS Requirements

Appendix A1: Additional PCI DSS Requirements for Multi-Tenant Service Providers

This Appendix is not used for merchant assessments.

Appendix A2: Additional PCI DSS Requirements for Entities using SSL/Early TLS for Card-Present POS POI Terminal Connections

PCI DSS Requirement	Expected Testing	Response [♦] (Check one response for each requirement)				
		In Place	In Place with CCW	Not Applicable	Not Tested	Not in Place
A2.1 POI terminals using SSL and/or early TLS are not susceptible to known SSL/TLS exploits.						
A2.1.1	Where POS POI terminals at the merchant or payment acceptance location use SSL and/or early TLS, the entity confirms the devices are not susceptible to any known exploits for those protocols. • Examine documentation (for example, vendor documentation, system/network configuration details) that verifies the devices are not susceptible to any known exploits for SSL/early TLS.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Applicability Notes						
This requirement is intended to apply to the entity with the POS POI terminal, such as a merchant. This requirement is not intended for service providers who serve as the termination or connection point to those POS POI terminals. Requirements A2.1.2 and A2.1.3 apply to POS POI service providers.						
The allowance for POS POI terminals that are not currently susceptible to exploits is based on currently known risks. If new exploits are introduced to which POS POI terminals are susceptible, the POS POI terminals will need to be updated immediately.						
A2.1.2	<i>Additional requirement for service providers only.</i>					
A2.1.3	<i>Additional requirement for service providers only.</i>					

♦ Refer to the "Requirement Responses" section (page v) for information about these response options.



Appendix A3: Designated Entities Supplemental Validation (DESV)

This Appendix applies only to entities designated by a payment brand(s) or acquirer as requiring additional validation of existing PCI DSS requirements. Entities required to validate to this Appendix should use the DESV Supplemental Reporting Template and Supplemental Attestation of Compliance for reporting and consult with the applicable payment brand and/or acquirer for submission procedures.

Item 11.2 - Attachment A - Released to the Public
Confidential



Appendix B: Compensating Controls Worksheet

This Appendix must be completed to define compensating controls for any requirement where In Place with CCW was selected.

Note: Only entities that have a legitimate and documented technological or business constraint can consider the use of compensating controls to achieve compliance.

Refer to Appendices B and C in PCI DSS for information about compensating controls and guidance on how to complete this worksheet.

Requirement Number and Definition:

	Information Required	Explanation
1. Constraints	Document the legitimate technical or business constraints precluding compliance with the original requirement.	
2. Definition of Compensating Controls	Define the compensating controls: explain how they address the objectives of the original control and the increased risk, if any.	
3. Objective	Define the objective of the original control.	
	Identify the objective met by the compensating control. Note: This can be, but is not required to be, the stated Customized Approach Objective listed for this requirement in PCI DSS.	
4. Identified Risk	Identify any additional risk posed by the lack of the original control.	
5. Validation of Compensating Controls	Define how the compensating controls were validated and tested.	
6. Maintenance	Define process(es) and controls in place to maintain compensating controls.	



Appendix C: Explanation of Requirements Noted as Not Applicable

This Appendix must be completed for each requirement where Not Applicable was selected.

Requirement	Reason Requirement is Not Applicable
1.1.1	The requirements of SAQ A and SAQ B-IP have been used to determine the applicable controls for respective payment channel. This requirement is not applicable to any payment channel in use by City of Adelaide.
1.1.2	
1.2.1	
1.2.2	
1.2.4	
1.2.6	There are no ports or protocols in use within the CDE that are considered to be insecure.
1.2.7	The requirements of SAQ A and SAQ B-IP have been used to determine the applicable controls for respective payment channel. This requirement is not applicable to any payment channel in use by City of Adelaide.
1.2.8	
1.4.1	
1.4.2	
1.4.4	
1.4.5	
1.5.1	
2.1.1	
2.1.2	
2.2.1	
2.2.3	
2.2.4	
2.2.5	
2.2.6	
2.3.1	City of Adelaide does not have any wireless networks connected to the cardholder data environment or which transmit cardholder data.
2.3.2	
3.1.1	Cardholder data is not stored in electronic or physical media.
3.1.2	The requirements of SAQ A and SAQ B-IP have been used to determine the applicable controls for respective payment channel. This requirement is not applicable to any payment channel in use by City of Adelaide.
3.3.2	
3.3.3	City of Adelaide is not an issuer and does not support issuing services.
3.4.2	The requirements of SAQ A and SAQ B-IP have been used to determine the applicable controls for respective payment channel. This requirement is not applicable to any payment channel in use by City of Adelaide.
3.5.1	
3.5.1.1	
3.5.1.2	
3.5.1.3	
3.6.1	



Requirement	Reason Requirement is Not Applicable
3.6.1.1	City of Adelaide is not a service provider.
3.6.1.2	The requirements of SAQ A and SAQ B-IP have been used to determine the applicable controls for respective payment channel. This requirement is not applicable to any payment channel in use by City of Adelaide.
3.6.1.3	
3.6.1.4	
3.7.1	
3.7.2	
3.7.3	
3.7.4	
3.7.5	
3.7.6	City of Adelaide is not a service provider.
3.7.7	
3.7.8	City of Adelaide is not a service provider.
3.7.9	
4.1.1	The requirements of SAQ A and SAQ B-IP have been used to determine the applicable controls for respective payment channel. This requirement is not applicable to any payment channel in use by City of Adelaide.
4.1.2	
4.2.1.1	
4.2.1.2	
4.2.2	
5.1.1	
5.1.2	
5.2.1	
5.2.2	
5.2.3	
5.2.3.1	
5.3.1	
5.3.2	
5.3.2.1	
5.3.3	
5.3.4	
5.3.5	
5.4.1	
6.1.1	
6.1.2	
6.2.1	
6.2.2	



Requirement	Reason Requirement is Not Applicable
6.2.3	
6.2.3.1	
6.2.4	
6.2.4-1	
6.2.4-2	
6.2.4-3	
6.2.4-4	
6.2.4-5	
6.2.4-6	
6.3.2	
6.4.1	
6.4.2	
6.5.1	
6.5.2	
6.5.3	
6.5.4	
6.5.5	
6.5.6	
7.1.1	
7.1.2	
7.2.1	
7.2.3	
7.2.4	
7.2.5	
7.2.5.1	
7.2.6	
7.3.1	
7.3.2	
7.3.3	
8.1.2	
8.2.3	City of Adelaide is not a service provider.
8.2.4	The requirements of SAQ A and SAQ B-IP have been used to determine the applicable controls for respective payment channel. This requirement is not applicable to any payment channel in use by City of Adelaide.
8.2.6	
8.2.8	
8.3.2	



Requirement	Reason Requirement is Not Applicable
8.3.3	
8.3.4	
8.3.8	
8.3.10	City of Adelaide is not a service provider.
8.3.10.1	
8.3.11	The requirements of SAQ A and SAQ B-IP have been used to determine the applicable controls for respective payment channel. This requirement is not applicable to any payment channel in use by City of Adelaide.
8.4.1	
8.4.2	
8.5.1	
8.6.1	
8.6.2	
8.6.3	
9.1.2	
9.2.1	
9.2.1.1	
9.2.3	
9.2.4	
9.3.1	
9.3.1.1	
9.3.2	
9.3.3	
9.3.4	
9.4.1	Cardholder data is not stored on any physical or electronic media for the in-scope payment channels in use by City of Adelaide.
9.4.1.1	
9.4.1.2	
9.4.2	
9.4.3	
9.4.4	
9.4.5	The requirements of SAQ A and SAQ B-IP have been used to determine the applicable controls for respective payment channel. This requirement is not applicable to any payment channel in use by City of Adelaide.
9.4.5.1	
9.4.6	Cardholder data is not stored on any physical or electronic media for the in-scope payment channels in use by City of Adelaide.
9.4.7	The requirements of SAQ A and SAQ B-IP have been used to determine the applicable controls for respective payment channel. This requirement is not applicable to any payment channel in use by City of Adelaide.
10.1.1	
10.1.2	



Requirement	Reason Requirement is Not Applicable
10.2.1	
10.2.1.1	
10.2.1.2	
10.2.1.3	
10.2.1.4	
10.2.1.5	
10.2.1.6	
10.2.1.7	
10.2.2	
10.3.1	
10.3.2	
10.3.3	
10.3.4	
10.4.1	
10.4.1.1	
10.4.2	
10.4.2.1	
10.4.3	
10.5.1	
10.6.1	
10.6.2	
10.6.3	
10.7.1	City of Adelaide is not a service provider.
10.7.2	The requirements of SAQ A and SAQ B-IP have been used to determine the applicable controls for respective payment channel. This requirement is not applicable to any payment channel in use by City of Adelaide.
10.7.3	
11.1.1	
11.1.2	
11.2.1	
11.2.2	
11.3.1	
11.3.1.1	
11.3.1.2	
11.3.1.2-1	
11.3.1.2-2	
11.3.1.2-3	



Requirement	Reason Requirement is Not Applicable
11.3.1.3	
11.4.1	
11.4.2	
11.4.3	
11.4.4	
11.4.6	City of Adelaide is not a service provider.
11.4.7	
11.5.1	The requirements of SAQ A and SAQ B-IP have been used to determine the applicable controls for respective payment channel. This requirement is not applicable to any payment channel in use by City of Adelaide.
11.5.1.1	City of Adelaide is not a service provider.
11.5.2	The requirements of SAQ A and SAQ B-IP have been used to determine the applicable controls for respective payment channel. This requirement is not applicable to any payment channel in use by City of Adelaide.
12.1.4	
12.2.1	
12.3.2	City of Adelaide is completing a self assessment questionnaire.
12.3.3	The requirements of SAQ A and SAQ B-IP have been used to determine the applicable controls for respective payment channel. This requirement is not applicable to any payment channel in use by City of Adelaide.
12.3.4	
12.4.1	City of Adelaide is not a service provider.
12.4.2	
12.4.2.1	
12.5.2.1	
12.5.3	
12.6.2	The requirements of SAQ A and SAQ B-IP have been used to determine the applicable controls for respective payment channel. This requirement is not applicable to any payment channel in use by City of Adelaide.
12.6.3	
12.6.3.1	
12.6.3.2	
12.7.1	
12.9.1	City of Adelaide is not a service provider.
12.9.2	
12.10.2	The requirements of SAQ A and SAQ B-IP have been used to determine the applicable controls for respective payment channel. This requirement is not applicable to any payment channel in use by City of Adelaide.
12.10.3	
12.10.4	
12.10.4.1	
12.10.5	
12.10.6	
12.10.7	



Requirement	Reason Requirement is Not Applicable
A1.1.1	City of Adelaide is not a multi-tenant service provider.
A1.1.2	
A1.1.3	
A1.1.4	
A1.2.1	
A1.2.2	
A1.2.3	
A2.1.1	City of Adelaide is not using SSL/Early TLS for card-present POS POI terminal connections.
A2.1.2	City of Adelaide is not a service provider.
A2.1.3	

Item 11.2 - Attachment A - Released to the Public
Confidential



Appendix D: Explanation of Requirements Noted as Not Tested

This Appendix must be completed for each requirement where Not Tested was selected.

Requirement	Description of Requirement(s) Not Tested	Describe why Requirement(s) was Excluded from the Assessment
-------------	--	--

Item 11.2 - Attachment A - Released to the Public
Confidential



Section 3: Validation and Attestation Details

Part 3. PCI DSS Validation

This AOC is based on results noted in SAQ D (Section 2), dated (Self-assessment completion date 31st March 2026).

Indicate below whether a full or partial PCI DSS assessment was completed:

- Full** – All requirements have been assessed therefore no requirements were marked as Not Tested in the SAQ.
- Partial** – One or more requirements have not been assessed and were therefore marked as Not Tested in the SAQ. Any requirement not assessed is noted as Not Tested in Part 2g above.

Based on the results documented in the SAQ D noted above, each signatory identified in any of Parts 3b–3d, as applicable, assert(s) the following compliance status for the merchant identified in Part 2 of this document.

Select one:

<input checked="" type="checkbox"/>	<p>Compliant: All sections of the PCI DSS SAQ are complete, and all assessed requirements are marked as being either 1) In Place, 2) In Place with CCW, or 3) Not Applicable, resulting in an overall COMPLIANT rating; thereby (<i>City of Adelaide</i>) has demonstrated compliance with all PCI DSS requirements included in this SAQ except those noted as Not Tested above.</p>								
<input type="checkbox"/>	<p>Non-Compliant: Not all sections of the PCI DSS SAQ are complete, or one or more requirements are marked as Not in Place, resulting in an overall NON-COMPLIANT rating, thereby (<i>City of Adelaide</i>) has not demonstrated compliance with the PCI DSS requirements included in this SAQ.</p> <p>Target Date for Compliance:</p> <p>A merchant submitting this form with a Non-Compliant status may be required to complete the Action Plan in Part 4 of this document. Confirm with the entity to which this AOC will be submitted <i>before completing Part 4.</i></p>								
<input type="checkbox"/>	<p>Compliant but with Legal exception: One or more assessed requirements in the PCI DSS SAQ are marked as Not in Place due to a legal restriction that prevents the requirement from being met and all other assessed requirements are marked as being either 1) In Place, 2) In Place with CCW, or 3) Not Applicable, resulting in an overall COMPLIANT BUT WITH LEGAL EXCEPTION rating; thereby (<i>City of Adelaide</i>) has demonstrated compliance with all PCI DSS requirements included in this SAQ except those noted as Not Tested above or as Not in Place due to a legal restriction.</p> <p>This option requires additional review from the entity to which this AOC will be submitted. <i>If selected, complete the following:</i></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 35%;">Affected Requirement</th> <th>Details of how legal constraint prevents requirement from being met</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </tbody> </table>	Affected Requirement	Details of how legal constraint prevents requirement from being met						
Affected Requirement	Details of how legal constraint prevents requirement from being met								



Part 3a. Merchant Acknowledgement

Signatory(s) confirms:

(Select all that apply)

- PCI DSS Self-Assessment Questionnaire D, Version 4.0.1, was completed according to the instructions therein.
- All information within the above-referenced SAQ and in this attestation fairly represents the results of the merchant's assessment in all material respects.
- PCI DSS controls will be maintained at all times, as applicable to the merchant's environment.

Part 3b. Merchant Attestation

Signature of Merchant Executive Officer ↑	Date:
Merchant Executive Officer Name: Annette Pianezzola	Title: MS

Part 3c. Qualified Security Assessor (QSA) Acknowledgement


If a QSA was involved or assisted with this Assessment, indicate the role performed:

- QSA performed testing procedures.
- QSA provided other assistance.

If selected, describe all role(s) performed: The QSA validated the scope of the assessment and determined applicable PCI DSS requirements. The QSA conducted interviews and workshops with City of Adelaide personnel and reviewed available documentation and evidence. The QSA completed the SAQ based on the validated scope and information provided

DocuSigned by:  <small>70DE91DE193A4C2...</small>	Date: 31 March 2026 11:05:47 AM AEDT
Signature of Lead QSA ↑	

Lead QSA Name: Gary Watts

Signed by:  <small>2DA943C02EB74EE...</small>	Date: 31 March 2026 3:36:29 PM AEDT
Signature of Duly Authorized Officer of QSA Company ↑	
Duly Authorized Officer Name: Leon Li	QSA Company: CyberCX Pty Ltd

Part 3d. PCI SSC Internal Security Assessor (ISA) Involvement

- ISA(s) performed testing procedures.
- ISA(s) provided other assistance.



If an ISA(s) was involved or assisted with this Assessment, indicate the role performed:

If selected, describe all role(s) performed:

Item 11.2 - Attachment A - Released to the Public
Confidential



Part 4. Action Plan for Non-Compliant Requirements

Only complete Part 4 upon request of the entity to which this AOC will be submitted, and only if the Assessment has a Non-Compliant status noted in Section 3.

If asked to complete this section, select the appropriate response for “Compliant to PCI DSS Requirements” for each requirement below. For any “No” responses, include the date the merchant expects to be compliant with the requirement and a brief description of the actions being taken to meet the requirement.

PCI DSS Requirement	Description of Requirement	Compliant to PCI DSS Requirements (Select One)		Remediation Date and Actions (If “NO” selected for any Requirement)
		YES	NO	
1	Install and maintain network security controls	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2	Apply secure configurations to all system components	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3	Protect stored account data	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4	Protect cardholder data with strong cryptography during transmission over open, public networks	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
5	Protect all systems and networks from malicious software	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
6	Develop and maintain secure systems and software	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
7	Restrict access to system components and cardholder data by business need to know	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
8	Identify users and authenticate access to system components	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
9	Restrict physical access to cardholder data	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
10	Log and monitor all access to system components and cardholder data	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
11	Test security systems and networks regularly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
12	Support information security with organizational policies and programs	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Appendix A2	Additional PCI DSS Requirements for Entities using SSL/Early TLS for Card-Present POS POI Terminal Connections	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

Note: The PCI Security Standards Council is a global standards body that provides resources for payment security professionals developed collaboratively with our stakeholder community. Our materials are accepted in numerous compliance programs worldwide. Please check with your individual compliance-accepting organization to ensure that this form is acceptable in its program. For more information about PCI SSC and our stakeholder community please visit: <https://www.pcisecuritystandards.org/about-us/>.


Certificate Of Completion

Envelope Id: AD997EC4-5BEC-4380-9119-5AFD124E9EE1	Status: Delivered
Subject: Completed SAQ and AoC for Signing	
Source Envelope:	
Document Pages: 139	Signatures: 4
Certificate Pages: 5	Initials: 0
AutoNav: Enabled	Envelope Originator: Gary Watts gary.watts@cybercx.com.au
Envelopeld Stamping: Enabled	IP Address: 123.103.211.242
Time Zone: (UTC+10:00) Canberra, Melbourne, Sydney	

Record Tracking

Status: Original 3/31/2026 11:01:31 AM	Holder: Gary Watts gary.watts@cybercx.com.au	Location: DocuSign
---	---	--------------------

Signer Events

Gary Watts gary.watts@cybercx.com.au Security Level: Email, Account Authentication (None)	Signature  DocuSigned by: Gary Watts 70DE91DE193A4C2... Signature Adoption: Pre-selected Style Using IP Address: 123.103.211.242	Timestamp Sent: 3/31/2026 11:05:23 AM Viewed: 3/31/2026 11:05:35 AM Signed: 3/31/2026 11:05:47 AM
---	--	---

Electronic Record and Signature Disclosure:
Not Offered via Docusign

Leon Li Leon.Li@cybercx.com.au Director - GRC Y Security Level: Email, Account Authentication (None)	Signature  Signed by: Leon Li 2DA943C02EB74EE... Signature Adoption: Pre-selected Style Using IP Address: 124.254.94.82	Sent: 3/31/2026 11:05:55 AM Viewed: 3/31/2026 3:36:05 PM Signed: 3/31/2026 3:36:29 PM
--	--	---

Electronic Record and Signature Disclosure:
Accepted: 3/31/2026 3:36:05 PM
ID: 01a047e8-ae51-4a7b-9925-079e73e75adb

Annette Pianezzola A.Pianezzola@cityofadelaide.com.au Ms Security Level: Email, Account Authentication (None)	Sent: 3/31/2026 3:36:36 PM Viewed: 3/31/2026 4:40:22 PM
--	--

Electronic Record and Signature Disclosure:
Accepted: 3/31/2026 4:40:22 PM
ID: 2e3f04ed-c9a0-49a4-bf7d-e9825c55a0fd

In Person Signer Events	Signature	Timestamp
Editor Delivery Events	Status	Timestamp
Agent Delivery Events	Status	Timestamp
Intermediary Delivery Events	Status	Timestamp
Certified Delivery Events	Status	Timestamp
Carbon Copy Events	Status	Timestamp
Witness Events	Signature	Timestamp

Notary Events	Signature	Timestamp
Envelope Summary Events		
	Status	Timestamps
Envelope Sent	Hashed/Encrypted	3/31/2026 11:05:23 AM
Certified Delivered	Security Checked	3/31/2026 4:40:22 PM
Payment Events		
	Status	Timestamps
Electronic Record and Signature Disclosure		

Item 11.2 - Attachment A - Released to the Public

Confidential

ELECTRONIC RECORD AND SIGNATURE DISCLOSURE

From time to time, CyberCX-CRM (we, us or Company) may be required by law to provide to you certain written notices or disclosures. Described below are the terms and conditions for providing to you such notices and disclosures electronically through the DocuSign system. Please read the information below carefully and thoroughly, and if you can access this information electronically to your satisfaction and agree to this Electronic Record and Signature Disclosure (ERSD), please confirm your agreement by selecting the check-box next to 'I agree to use electronic records and signatures' before clicking 'CONTINUE' within the DocuSign system.

Getting paper copies

At any time, you may request from us a paper copy of any record provided or made available electronically to you by us. You will have the ability to download and print documents we send to you through the DocuSign system during and immediately after the signing session and, if you elect to create a DocuSign account, you may access the documents for a limited period of time (usually 30 days) after such documents are first sent to you. After such time, if you wish for us to send you paper copies of any such documents from our office to you, you will be charged a \$0.00 per-page fee. You may request delivery of such paper copies from us by following the procedure described below.

Withdrawing your consent

If you decide to receive notices and disclosures from us electronically, you may at any time change your mind and tell us that thereafter you want to receive required notices and disclosures only in paper format. How you must inform us of your decision to receive future notices and disclosure in paper format and withdraw your consent to receive notices and disclosures electronically is described below.

Consequences of changing your mind

If you elect to receive required notices and disclosures only in paper format, it will slow the speed at which we can complete certain steps in transactions with you and delivering services to you because we will need first to send the required notices or disclosures to you in paper format, and then wait until we receive back from you your acknowledgment of your receipt of such paper notices or disclosures. Further, you will no longer be able to use the DocuSign system to receive required notices and consents electronically from us or to sign electronically documents from us.

All notices and disclosures will be sent to you electronically

Unless you tell us otherwise in accordance with the procedures described herein, we will provide electronically to you through the DocuSign system all required notices, disclosures, authorizations, acknowledgements, and other documents that are required to be provided or made available to you during the course of our relationship with you. To reduce the chance of you inadvertently not receiving any notice or disclosure, we prefer to provide all of the required notices and disclosures to you by the same method and to the same address that you have given us. Thus, you can receive all the disclosures and notices electronically or in paper format through the paper mail delivery system. If you do not agree with this process, please let us know as described below. Please also see the paragraph immediately above that describes the consequences of your electing not to receive delivery of the notices and disclosures electronically from us.

How to contact CyberCX-CRM:

You may contact us to let us know of your changes as to how we may contact you electronically, to request paper copies of certain information from us, and to withdraw your prior consent to receive notices and disclosures electronically as follows:

To contact us by email send messages to: vignesh.pattabhiraman@cybercx.com.au

To advise CyberCX-CRM of your new email address

To let us know of a change in your email address where we should send notices and disclosures electronically to you, you must send an email message to us at vignesh.pattabhiraman@cybercx.com.au and in the body of such request you must state: your previous email address, your new email address. We do not require any other information from you to change your email address.

If you created a DocuSign account, you may update it with your new email address through your account preferences.

To request paper copies from CyberCX-CRM

To request delivery from us of paper copies of the notices and disclosures previously provided by us to you electronically, you must send us an email to vignesh.pattabhiraman@cybercx.com.au and in the body of such request you must state your email address, full name, mailing address, and telephone number. We will bill you for any fees at that time, if any.

To withdraw your consent with CyberCX-CRM

To inform us that you no longer wish to receive future notices and disclosures in electronic format you may:

- i. decline to sign a document from within your signing session, and on the subsequent page, select the check-box indicating you wish to withdraw your consent, or you may;
- ii. send us an email to vignesh.pattabhiraman@cybercx.com.au and in the body of such request you must state your email, full name, mailing address, and telephone number. We do not need any other information from you to withdraw consent.. The consequences of your withdrawing consent for online documents will be that transactions may take a longer time to process..

Required hardware and software

The minimum system requirements for using the DocuSign system may change over time. The current system requirements are found here: <https://support.docusign.com/guides/signer-guide-signing-system-requirements>.

Acknowledging your access and consent to receive and sign documents electronically

To confirm to us that you can access this information electronically, which will be similar to other electronic notices and disclosures that we will provide to you, please confirm that you have read this ERSD, and (i) that you are able to print on paper or electronically save this ERSD for your future reference and access; or (ii) that you are able to email this ERSD to an email address where you will be able to print on paper or save it for your future reference and access. Further, if you consent to receiving notices and disclosures exclusively in electronic format as described herein, then select the check-box next to 'I agree to use electronic records and signatures' before clicking 'CONTINUE' within the DocuSign system.

By selecting the check-box next to 'I agree to use electronic records and signatures', you confirm that:

- You can access and read this Electronic Record and Signature Disclosure; and
- You can print on paper this Electronic Record and Signature Disclosure, or save or send this Electronic Record and Disclosure to a location where you can print it, for future reference and access; and
- Until or unless you notify CyberCX-CRM as described above, you consent to receive exclusively through electronic means all notices, disclosures, authorizations, acknowledgements, and other documents that are required to be provided or made available to you by CyberCX-CRM during the course of your relationship with CyberCX-CRM.